IJ

M

4-6-00

### PATENT APPLICATION

Case Docket No. 200-0235 Date:

ASSISTANT COMMISSIONER FOR PATENTS Washington, D. C. 2023l

Transmitted herewith for filing is the patent application of Inventor(s): Stephen Smith

For: COMMUNICATION SCHEMA OF ONLINE SYSTEM AND METHOD OF LOCATING CONSUMER PRODUCT IN THE ENTERPRISE PRODUCTION PIPELINE

- 40 sheet(s) of drawings [X]
- IX1 Assignment and Cover Sheet
- Information Disclosure Statement, PTO Form 1449, and Copies of Citations
- A certified copy of

The filing fee has been calculated as shown below for OTHER THAN A SMALL ENTITY:

FOR	NO. FILED	NO. EXTRA	RATE	<u>FEE</u>
Basic Fee Total Claims Indep Claims Multiple Dependent Claims(s) Presented	51 4 0	31 1	18 78 260	\$ 690 \$ 558 \$ 78 \$ 0
1 1636Hteu			TOTAL	\$1,326

- Please charge Deposit Account No. 06-1500 in the amount shown next to the Total. [X] A duplicate copy of this sheet is enclosed.
- The Commissioner is hereby authorized to charge payment of the following fees associated with this [X] communication or credit any overpayment to Deposit Account No. 06-1500. If there are insufficient funds in this account, please charge the fees to Deposit Account No. 06-1510. A duplicate copy of this sheet is enclosed.

Any additional filing fees required under 37 CFR 1.16.

Any patent application processing fees under 37 CFR 1.17.

The Commissioner is hereby authorized to charge payment of the following fees during the pendency [X] of this application or credit any overpayment to Deposit Account No. 06-1500. If there are insufficient funds in this account, please charge the fees to Deposit Account No. 06-1510.

Any patent application processing fees under 37 CFR 1.17. Any filing fees under 37 CFR 1.16 for presentation of extra claims.

EL486548375US

"Express Mail" Mailing Label Numbe

Date of Deposit I hereby certify that this paper or fee is being deposited with the United States Postal Service

"Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Commissioner of Patent

and Trademarks, Washington, D.C. 20231

CAROL S. FREITAG Name of Person Mail

(Signature of Person Mailing Paper or Fee.)

Carlos L. Hanze

Attorney or Agent of Record Registration No. 43657

Ford Global Technologies, Inc.

One Parklane Blvd..

600 Parklane Towers East Dearborn, MI 48l26

Attorney Docket No: 200-0235

Please call 313-322-7762 if this paper becomes separated from the file.

15

20

# COMMUNICATION SCHEMA OF ONLINE SYSTEM AND METHOD OF LOCATING CONSUMER PRODUCT IN THE ENTERPRISE PRODUCTION PIPELINE

#### TECHNICAL FIELD OF THE INVENTION

The present invention relates in general to the field of electronic commerce and computer software systems. More particularly, the invention relates to a communication schema of online system and method of locating consumer product in the enterprise production pipeline.

#### RELATED PATENT APPLICATIONS

This application claims the benefit of provisional application number 60/163,755, entitled Automotive Internet Business Methods and Systems, filed on November 5, 1999.

This application is related to co-pending U.S. Application Serial No. \_\_\_\_\_\_, filed on \_\_\_\_\_\_, 2000, by \_\_\_\_\_\_ and entitled, "Communication Schema of Online System and Method of Status Inquiry and Tracking Related to Orders for Consumer Product Having Specific Configurations," Attorney's Docket No. 200-0058.

This application is related to co-pending U.S. Application Serial No. \_\_\_\_\_\_, filed on \_\_\_\_\_\_, 2000, by \_\_\_\_\_\_ and entitled, "Communication Schema of Online System and Method of Ordering Consumer Product

10

15

20

25

30

Having Specific Configurations," Attorney's Docket No. 200-0059.

This application is related to co-pending U.S.

Application Serial No. \_\_\_\_\_\_, filed on \_\_\_\_\_\_,

2000, by \_\_\_\_\_\_ and entitled, "Online System and

Method of Locating Consumer Product Having Specific

Configurations in the Enterprise Production Pipeline and

Inventory," Attorney's Docket No. 200-0061.

This application is related to co-pending U.S.

Application Serial No. \_\_\_\_\_\_, filed on \_\_\_\_\_\_,

2000, by \_\_\_\_\_\_ and entitled, "Online System and

Method of Reporting Related to Orders for Consumer

Product Having Specific Configurations," Attorney's

Docket No. 200-0062.

This application is related to co-pending U.S. Application Serial No. \_\_\_\_\_\_, filed on \_\_\_\_\_\_, 2000, by \_\_\_\_\_\_ and entitled, "Communication Schema of Online Reporting System and Method Related to Online Orders for Consumer Products Having Specific Configurations," Attorney's Docket No. 200-0089.

This application is related to co-pending U.S. Application Serial No. \_\_\_\_\_\_, filed on \_\_\_\_\_\_, 2000, by \_\_\_\_\_\_ and entitled, "Online System and Method of Ordering and Specifying Consumer Product Having Specific Configurations," Attorney's Docket No. 200-0090.

This application is related to co-pending U.S. Application Serial No. \_\_\_\_\_\_, filed on \_\_\_\_\_\_, 2000, by \_\_\_\_\_\_ and entitled, "Online System and Method of Status Inquiry and Tracking Related to Orders for Consumer Product Having Specific Configurations," Attorney's Docket No. 200-0236.

15

20

25

30

#### BACKGROUND OF THE INVENTION

On-line shopping is quickly becoming the preferred means for obtaining consumer products and services. More consumers, for example, are now using the Internet to browse, comparison shop and order products on-line. On-line shopping systems have made product information, including pricing and availability, readily available to consumers and have facilitated the location and purchasing of desired products at lower cost and with added convenience.

Accordingly, many retailers have established "electronic store fronts" to offer all kinds of products ranging from clothes and groceries to computers and automobiles. Conventional electronic store however, are often modeled after traditional catalogs and are limited in the information disseminated to consumer. With typical electronic store fronts, for example, a consumer is prompted to search for a desired product by entering one or more keywords. A search result of relevant items is then displayed along with a product description and price. The customer then places the desired items in an "electronic shopping cart," which the customer uses to place an order with the on-line merchant. If an item is not in the merchant's inventory, the customer is informed either immediately or within a prescribed period of time. If the customer dissatisfied or unwilling to wait or desires to purchase the item elsewhere, the customer then returns to the store front or calls the on-line merchant to cancel or change the order.

Still other systems, such as Dell Computer Corporation's dell.com, allow consumers to configure or customize selected products in accordance with available features or options. Dell.com, for example, allows a

15

20

25

30

consumer to customize computer systems by allowing the consumer to select various options, e.g., memory, hard drive, monitor, CD/DVD drives, video card, sound card, etc. An updated price is then obtained based on the selected options. The configured system is placed in a shopping cart and an order submitted by selecting a "checkout" option. Order status information can then be obtained upon providing an order number and verification data.

A shortcoming of conventional systems, however, is that product status and tracking information is available only after an order is placed. No information is available to the consumer, prior to the placement of the order, relating to the availability or status of a matching or similar configured product already in the product's manufacturing and delivery process or so-called "product pipeline." For example, conventional systems not provide real-time information relating inventory, in-transit stock, scheduled and unscheduled orders, etc., that may influence the consumer's decision to order or not order the configured product. information may be important to a consumer who may choose to select or not select a particular option because of a inventory or delay in scheduled production. Also, in cases where time is of the essence, such information may be used to notify a customer that the configured product is not readily available. A new order can therefore be placed or a preexisting one updated without the customer having to cancel a previously submitted order. The availability of status and tracking information, prior to the placement of an order by the consumer, can therefore be used to minimize the risk that the customer will become inconvenienced and dissatisfied with the merchant's on-line ordering services.

10

15

20

25

30

#### SUMMARY OF THE INVENTION

The aforedescribed limitations and inadequacies of on-line shopping systems are substantially overcome by the present invention. The present invention provides a method and system wherein a consumer is provided realtime information, prior to the placement of an order or purchase by the consumer, regarding the availability and status of a configured product in relation to the product's manufacturing and delivery process or"pipeline."

The present invention provides an on-line method and system wherein the product delivery time to a consumer is reduced by locating and "tagging" an available product already in a product pipeline. The present invention allows a consumer to locate and tag the desired product at various stages of the pipeline, including but not limited to scheduled and unscheduled order banks, final assembly, in-plant inventory, in-transit stock, dealer inventory, etc. A located product may be tagged, for example, using a customer credit card, checking account number or electronic voucher or gift certificate.

The present invention provides an on-line method and system wherein the consumer configures a product as required and places a product order when no acceptable matches are found in the product pipeline. Alternatively, pre-existing or even canceled orders can be modified as required to fulfill the product order.

The invention also provides an on-line method and system wherein expected delivery dates are calculated and updated based upon the progress of an ordered or tagged product through the product pipeline.

The present invention also provides an on-line method and system wherein real-time pricing and comparison data is provided for individual product

15

20

25

30

features or options.

The present invention also provides an on-line method and system wherein a consumer tracks the progress of an ordered product through the product pipeline. Real-time status can be provided as requested or automatically in accordance with the occurrence of a predefined or significant event.

The present invention provides an on-line method and system wherein consumer preferences and trends are reported.

In one embodiment of the present invention, an online communication schema for an online vehicle ordering and tracking system is provided. The communication schema includes a search request message and a search reply message. The search request message includes at least one search criteria, including make and model of a vehicle, and a weighting of each criterion. The search reply message includes a list of vehicles substantially matching the search criteria, and a plurality of vehicle configuration parameters of the vehicles substantially matching the search criteria, including make, model, dealer identifier, price, and color.

In another embodiment of the present invention, a communication schema used in an online system enabling a user to search in-inventory and in-process products is provided. The communication schema includes a search request message, which includes at least one search criterion describing the parameters of a desired product, and a weighting of each criterion. The schema further includes a search reply message, which includes a list of products substantially matching the search criteria, and a plurality of product configuration parameters of the products substantially matching the search criteria.

10

15

20

25

30

The schema further includes a tag request message, which includes order information associated with the tag request, contact information of the user, credit authorization information, and tagged product parameters. The schema further includes a tag status message generated in response to processing the tag request message.

In yet another embodiment of the present invention, an online method of communication for an online vehicle ordering and tracking system is provided. The method comprises generating a search request message including at least one search criterion. The search criteria include the make and model of a vehicle, and a weighting of each criterion. The method includes generating a search reply message in response to processing the search request message, where the search reply message includes a list of vehicles substantially matching the search criteria, and a plurality of vehicle configuration parameters of the vehicles substantially matching the search criteria, including make, model, dealer identifier, price, and color.

In another embodiment of the present invention, an method consumer product of. locating online specific configuration in an enterprise pipeline and inventory is provided. The method includes which includes search request message, generating a product configuration data submitted by a user. product configuration data also includes the make and model of a vehicle, and a weighting of each parameter. The method includes formulating a search query with to the product search criteria corresponding configuration data, and searching an inventory database for a product matching the product configuration data. The inventory database contains product on the order

10

bank, in-production, in-transit, and in-inventory. The method includes generating a search reply message in response to processing the search request message. The search reply message includes a list of vehicles substantially matching the search criteria, and a plurality of vehicle configuration parameters of the vehicles substantially matching the search criteria, including make, model, dealer identifier, price, and color. The list of vehicles is then displayed to the user.

25

30

### BRIEF DESCRIPTION OF THE DRAWINGS

For a better understanding of the present invention and the advantages thereof, reference may be made to the accompanying drawings, in which:

- FIG. 1 is a flow diagram showing a method for product ordering and tracking according to a preferred embodiment of the present invention;
  - FIG. 2 is a preferred embodiment of a system for implementing the method shown in FIG. 1;
- FIG. 3 is a block diagram of an embodiment of the web-based custom vehicle ordering and tracking system constructed according to the teachings of the present invention;
- FIG. 4 is a simplified flowchart of an embodiment of the web-based custom vehicle ordering and tracking method according to the teachings of the present invention;
  - FIG. 5 is another flowchart of another embodiment of the web-based custom vehicle ordering and tracking method of the present invention;
- FIG. 6 is a block diagram of another embodiment of the web-based custom vehicle ordering and tracking system according to the teachings of the present invention;
  - FIGS. 7A-7C provide a more detailed block diagram of an embodiment of the web-based custom vehicle ordering and tracking system according to the teachings of the present invention;
  - FIG. 8 is a more detailed block and flow diagram of an embodiment of the web-based custom vehicle locate process according to the teachings of the present invention:
  - FIG. 9 is a more detailed block and flow diagram of an embodiment of message processing of the locate process according to the teachings of the present invention;

10

25

FIG. 10 is a more detailed block and flow diagram of an embodiment of message processing of the locate process according to the teachings of the present invention;

FIG. 11 is a more detailed block and flow diagram of an object-oriented embodiment of the web-based custom vehicle locate process according to the teachings of the present invention;

FIG. 12 is a diagram of an embodiment of a search request message schema according to the teachings of the present invention;

FIG. 13 is a diagram of an embodiment of a search result message schema according to the teachings of the present invention;

FIG. 14 is a diagram of an embodiment of a tag
15 request message schema according to the teachings of the
present invention;

FIG. 15 is a diagram of an embodiment of a tag response message schema according to the teachings of the present invention;

FIG. 16 is a more detailed block and flow diagram of an embodiment of message processing of the order process according to the teachings of the present invention;

FIG. 17 is a more detailed block and flow diagram of an embodiment of new order message processing according to the teachings of the present invention;

FIG. 18 is a more detailed block and flow diagram of an embodiment of tag order message processing according to the teachings of the present invention;

FIG. 19 is a more detailed block and flow diagram of an embodiment of lead message processing according to the teachings of the present invention;

FIG. 20 is a more detailed block and flow diagram of an embodiment of cancel unscheduled order message

30

processing according to the teachings of the present invention;

- FIG. 21 is a more detailed block and flow diagram of an embodiment of cancel scheduled order message processing according to the teachings of the present invention;
- FIG. 22 is a more detailed block and flow diagram of an embodiment of specification change message processing according to the teachings of the present invention;
- 10 FIG. 23 is a flowchart of an embodiment of an order number generating process according to the teachings of the present invention;
  - FIG. 24 is a diagram of an embodiment of a customer request message schema according to the teachings of the present invention;
  - FIG. 25 is a diagram of an embodiment of a fleet order message schema according to the teachings of the present invention;
- FIG. 26 is a diagram of an embodiment of a retail order message schema according to the teachings of the present invention;
  - FIG. 27 is a diagram of an embodiment of a lead message schema according to the teachings of the present invention:
- 25 FIG. 28 is a block and flow diagram of an embodiment of a status process according to the teachings of the present invention;
  - FIG. 29 is a diagram of an embodiment of a customer status request message schema according to the teachings of the present invention;
    - FIG. 30 is a diagram of an embodiment of a customer status reply message schema according to the teachings of the present invention;

FIG. 31 is a diagram of an embodiment of a batch status request message schema according to the teachings of the present invention;

FIG. 32 is a diagram of an embodiment of a batch status reply message schema according to the teachings of the present invention;

FIG. 33 is a block and flow diagram of an embodiment of a report process according to the teachings of the present invention;

10 FIG. 34 is a diagram of an embodiment of a status report message schema according to the teachings of the present invention;

FIG. 35 is a diagram of an embodiment of a order report message schema according to the teachings of the present invention; and

FIG. 36 is a diagram of an embodiment of a lead report message schema according to the teachings of the present invention.

20

15

5

15

20

25

30

#### DETAILED DESCRIPTION OF THE INVENTION

As described above, there is a need to provide immediate feedback to on-line customers as to the availability of selected merchandise. Furthermore, it is advantageous to somehow satisfy the customer's order even when the selected item is not in inventory. Although these features are desirable for any on-line merchant, they are especially advantageous for big-ticket items such as automobiles where a customer may choose among a myriad of options and features, and where a single completed sale translates to large dividends.

FIG. 1 is a flow diagram of a preferred method for ordering and tracking consumer products. As shown in FIG. 1, a consumer desiring to purchase a product first selects and configures the product as desired based upon available product features or options, as shown in block Dealer inventory and "in-process" product inventory are then searched to locate products that matched or substantially matched the consumer selected configuration, as shown in block 20. An in-process product is defined as a product that is on the order bank manufacturing to be manufactured, a product in the process, or a product that is in transit to the retail If no matching or otherwise outlet or dealerships. in-process product can acceptable at-dealer or located, then the consumer is provided the option to order the configured product, as shown in block 30. matching or similar product is located, then the located product is "tagged" or designated for purchase and/or delivery to the consumer. The consumer is then notified that a product has been located and tagged, and may be further notified that the actual purchase or delivery of such product may be conditioned, for example, upon payment or credit verification. The consumer may be

15

20

25

warned that there is a possibility that the vehicle has been tagged or sold to someone who may have purchased the vehicle prior to the consumer's effort to locate and tag the vehicle. This may occur due to lag time in updating the inventory databases. The consumer is then provided an estimated product delivery date. Real-time status and tracking information regarding the progress of the ordered or tagged through the product pipeline is also provided, as shown in block 40.

is a block diagram of a system 100 2 product ordering and tracking in accordance with the preferred method of FIG. 1. System 100 includes consumer and product provider user interfaces 120 and respectively, for communicating via networks 120 and 140 with data processing system 110. A "consumer" or "customer" can be any purchaser or user of a product, and "product provider" can be, for example, a dealer or even manufacturer of the product offered for The user interfaces 120 and 122 can be any suitable graphical user interfaces for use over Internet, intranet, extranet, or similar communication Communication networks 120 and 140 can be network. different networks, or the same network. The data processing system 110, which is preferably embodied as one or more computer programs running on a suitable computer processor or processors, includes a configure product routine 112, a locate product routine 114, an order product routine 116 and a status/tracking routine 118 for performing the method of FIG. 1.

As further shown in FIG. 2, a product knowledge base 150 is used by the data processing system to provide real-time configuration, ordering and tracking information to the consumer. Communication link 152, for example, represents configuration and pricing data,

10

15

20

25

30

business rules and/or other like constraints limiting the options and configurations available to the consumer. Inventory data, which includes, but is not limited to, scheduled and unscheduled order banks, final assembly, in-plant inventory, in-transit stock, dealer inventory, is provided by the knowledge base via link 154. Ordering rules and constraints, including information about the product's manufacturing and delivery process, is provided via link 156. Status related data and rules are likewise provided via link 158.

Further as shown in FIG. 2, system 110 can optionally include a report process routine 119 for communicating customer trend, preference and customer-related data to the provider of the product or rules Reporting products offered for sale. such as privilege or security data, constraints, provided by product knowledge base 150.

FIG. 3 is a block diagram of a preferred embodiment of a system 310 for product ordering and tracking in accordance with the teachings of the present invention. Although the system 310 is shown as a web-based system for ordering and tracking custom vehicles, the system 310 may be modified as known and understood by those of skill the art for ordering and tracking various other consumer products over any intranet, extranet or other suitable type of communications network. System 310 in particular provides on-line customers the ability to enter vehicle search criteria, and search for the vehicle in the dealership inventory and in-process. search does not yield a vehicle satisfying the search criteria, then a customer may search for near-match vehicles or place a custom order for the desired vehicle. In this way, the customer is provided immediate feedback to the availability of the vehicle not only in

10

15

20

25

30

inventory but also in the pipeline at the manufacturer leading to the dealer. The customer is also afforded satisfactory alternatives that lead to the completion of a sale.

The system 310 of the present invention, by way of example and not limitation, includes consumer "front end" 339, enterprise extranet 340, enterprise intranet 350 and enterprise data center 360. As shown in FIG. 3, consumer provides consumer-to-business end functionality, enterprise extranet 340 provides businessto-business (B2B) functionality and enterprise intranet 350 and enterprise data center 360 provide functionality internal to the enterprise, e.g., the product providing entity. The various system components, however, can be distributed within any of the segments 339, 340, 350 and FIG. 5, for example, shows another 360 as required. preferred embodiment of the present invention wherein a and a reporting data reporting data collector 342 warehouse 346 are shown as part of the consumer front-end 539 instead of the enterprise extranet 340 as previously shown in FIG. 3.

Referring again to FIG. 3, the consumer front end 339 includes one or more portals or web sites 318 accessible over the World Wide Web (WWW) or the Internet 316 over which consumers 312 can access the system 310. The system can be accessed using browser software applications running on client computers, machines or devices to download and access files called web pages stored on servers connected to the Internet. Using the same browser applications, consumers can also enter and send information to the servers. The Web pages can be single or multimedia documents created using hypertext markup language (HTML), extensible markup language (XML), all of the HTML and XML variations and extensions,

10

15

20

25

30

client-side scripting languages, cascading style sheets, Java applets and serverlets, Active Server Pages (ASP), Cold Fusion, and other languages and methods. part of the include a web page that is 318 may manufacturer's web site (e.g. Ford.com) that contains links to other related web pages and content dedicated to Portals 318 may also include customizable system 310. general purpose web pages that contain short summaries of current news, weather, financial news and serve as a starting point for many web surfers. Portals 318 may also include a web site dedicated to automotive sales of one or more makers, or a web site owned and operated by a dealership selling automobiles of one or more makers. this manner, portals 318 serve as a multimedia user interface that interfaces between the users and system 310.

Portals 318 are capable of accessing an inventory database 322 and a configuration and pricing database Inventory database 322 contains data related to the availability of any in-process or at-dealership product may match the specifications dictated pricing database and consumer. Configuration data on vehicle models and the configuration and options that may be specified by the For example, a consumer may desire a white Ford Excursion with cream-colored leather seats, a V10 engine, premium aluminum wheels, and other options. Portal 318 is able to access configuration and pricing database 324 and present the data to the on-line consumer so that the consumer can indicate which configurations The price of the vehicle may be and options are desired. dynamically updated and displayed to reflect the price of the vehicle with the selected vehicle configuration and options. The vehicle configurations and options may be

10

15

20

25

30

grouped into packages so that the on-line consumer may make his/her selection based on the desired packages.

After the on-line consumer selects the vehicle make and model, configurations and options, he/she may submit the vehicle selection and perform a search in inventory to determine if one is currently available. database 322 receives its data from an inventory importer 328, which obtains inventory data from dealers 330 for their current inventory. Dealers 330 may also represent any sales entity that has an inventory of products for sale or lease to the public or to businesses. Inventory importer 328 further obtains data from an inventory packager 368 within the enterprise mainframe and data center 360 of the manufacturer for data on vehicles intransit from the manufacturing plant to the dealers, in manufacturing, and on the order bank. Therefore the entire product pipeline is searched for a match or a near If no match or near match is match, if so desired. found, the consumer may place a custom order for the Inventory importer 328 is responsible for vehicle. obtaining the relevant data from one or more sources, reformatting the data as necessary, and storing the data in inventory database 322.

Portals 318 are also in communication with a sales processor 332, which may be owned and operated by a dealership organization or any entity that operates as a manufacturer. The vehicle for the retail outlet selection information submitted by the consumer purchase or lease is relayed to sales processor 332 for A financing processor 334 may be used to processing. receive and verify customer credit information and to process financing and complete the sale. A consumer who is not currently interested in purchasing or leasing the vehicle may cause the vehicle selection information to be

10

15

20

25

30

stored, such as at a prospect/buyer database 336 or a database that is directly accessible by portals 318. Portals 318 may recall the stored information when the same consumer visits the web site again and allow the consumer to place the order at that time.

Sales processor 332 is also in communication with an order processor 352 that may be part of an enterprise Communication between the extranet 340 of the company. sales processor 332 and the order processor preferably done using an appropriate messaging scheme and message routers (not shown). Order processor 352 accepts processor 332 and sales orders from submitted databases communicates the order to legacy in enterprise mainframe and data center environment 360 via a systems network architecture (SNA) server transmission control protocol/Internet protocol (TCP/IP) gateway 356. Also in communication with sales processor 332 is a status request processor 354, which may reside in the Status request processor receives requests extranet. from sales processor 332 and obtains the order status from a status packager 364 in enterprise mainframe and data center environment 360. Status packager 364 obtains status information from an enterprise vehicle information system 366, which keeps track of in-plant and in-transit vehicle inventory as well as vehicles on the order bank. contains vehicle pricing 372 database data information for vehicle configurations and options. configuration packager 370 is operable to access order information 372 and provide this data database configuration/pricing data database 324 at the front end.

Portals 318 are able to collect statistics and personal data on visitors and report this data to a reporting data collector 342 in extranet 340. Traditional means of obtaining data on the visitors, such

25

30

as using cookie files, user entry forms, and the like may be used to collect data. This data is then stored in a reporting data database 346 in intranet 350. A reporting data warehouse interface 344 is provided for users who has authority to access the data in reporting data database 346. Analysis on the collected may be performed to achieve a better understanding of potential buyer likes and dislikes and to determine potential buyer profiles.

For security reasons, firewalls separate the World 10 Wide Web and the Internet from extranet 340, which is separated from enterprise intranet 350, enterprise mainframe and data center 360 by firewalls. Account identifiers, user identifiers, passwords, etc. extranet, intranet the needed to access 15 enterprise mainframe and data center systems.

FIG. 4 is a simplified flowchart of an embodiment of web-based custom vehicle tracking and ordering the process 400 according to the teachings of the present invention. A user accesses a World Wide Web web page, as shown in block 402. The consumer is then able to enter or select from pull-down lists or other types of lists model, color, configurations make, the vehicle System 310 of the as shown in block 404. options, present invention then searches for vehicles matching the entered criteria in dealership inventory and in-process. locating alternate methods of searching and matching vehicle are shown in FIGS. 4A-4B and FIG. 5.

Referring to block 106 in FIG. 4A, the system begins by first searching in dealership inventory. The search may be performed by accessing inventory database 322. If a vehicle is not found, system 310 then searches database 322 for matching vehicles that are in-transit, as shown in block 408. If a vehicle is not found, then system 310

20

25

30

searches inventory database 322 for vehicles that are inplant being manufactured, assembled, etc., as shown in block 410. If such a vehicle is still not located, then system 310 searches for a matching vehicle that is on the order bank to be constructed, as shown in block 412. All vehicles matching the search criteria are displayed, as shown in block 414. If no vehicle matching the criteria is located, then near matches are searched in inventory database 322 if so instructed by the consumer, as shown in block 416.

Referring to FIG. 5, an alternate method 430 of a vehicle matching locating searching for and substantially matching the entered criteria is shown. Similarly, the consumer accesses the system via portal web pages, and enters desired vehicle configuration and options, as shown in blocks 432 and 434. inventory and in-process vehicles are searched for a match or near match, as shown in block 436. In block 438, all found vehicles are sorted according to how closely it matched the entered search criteria, highest percentage to lowest percentage. The vehicles may further be sorted by status, for example, inventory vehicles are grouped together, in-transit vehicles are grouped together, etc. The sorted found vehicles are then displayed to the consumer, as shown in block 440.

Returning to FIG. 4B, if no match or near match is found, if the consumer does not want to search for near matches, or the consumer is not satisfied with any found vehicle in the search result, the consumer may indicate that he/she desires to place a custom order, as shown in block 418. If the consumer does not desire to place a custom order at this time, then the vehicle selection criteria may be saved in a database, such as prospective

10

15

20

25

30

buyer database 336, as shown in blocks 420 and 422. The process ends in block 424.

If, on the other hand, the search located a vehicle matching or nearly matching the selection criteria, the consumer may "tag" or place a "hold" on the vehicle, as shown in block 440. In order to reserve a vehicle, the asked to provide credit and/or other is consumer financial information, as shown in block 442. Typically, a consumer is asked to provide a credit card account number from which a predetermined amount or a certain percentage of the vehicle price is charged to hold the selected vehicle. Alternatively, the consumer may opt to the vehicle configuration and merely save selection and postpone the purchasing decision until later, as shown in block 420.

In block 444, after the consumer has decided to hold a vehicle and have provided the credit information, summary of the selected vehicle and the transaction may be displayed to the consumer. This page may be saved or printed by the consumer as a receipt. In block 446, a vehicle delivery schedule projection may be displayed. The vehicle delivery schedule may indicate that the vehicle is immediately available if it is currently on the lot of a dealership or in two months in the case of a custom order, for example. This step may also be simultaneously with the search result performed information in block 414. The consumer may further select a means of reporting the vehicle delivery status and a frequency for the report, as shown in block 448. For example, the consumer may elect to receive status update reports via email, facsimile, or a web page. status update reports may further provide an updated delivery date, if it is changed from the original date

15

20

25

30

due to changes in the manufacturing or transportation schedule. The process ends in block 424.

FIG. 6 is an alternate embodiment 510 of the present invention similar to that shown in FIG. 3. It may be seen that the boundaries between consumer front end 539, enterprise extranet 540, enterprise intranet 550, and enterprise mainframe and data center 560 may be somewhat flexibly delineated, thus some of the system components may exist in the consumer front end rather than the As shown in FIG. 5, enterprise extranet, for example. reporting data collector 342 and reporting data warehouse 346 may exist in consumer front end 539 instead of enterprise extranet 540 and enterprise intranet 550, Further, order processor 352 and status respectively. request processor 354 may reside in enterprise intranet 550 rather than enterprise extranet 540.

Referring to FIGS. 7A-7C, a more detailed block diagram of an embodiment of the web-based custom vehicle system 600 according to tracking and ordering System 600 teachings of the present invention is shown. such portals, sites or includes multiple web Fleet.com $^{TM}$  604, BuyerConnection.com<sup>TM</sup> 602 and provide an online interface to consumers 601 and fleet These portals or web consumers 603 via the Internet. sites communicate with a web server 605, which processes consumer requests and generates responses thereto. example, a consumer 601 may select a number of options product (an features for the automobile, 606 and configuration engine example). A configuration/pricing database 608 are used to provide information. product configuration and pricing submit a search request then consumer may BuyerConnection.com 602 to locate a vehicle with the selected options and features in dealer inventory, in-

10

15

20

25

30

production, or on the order in BuyerConnection.com then generates a locate request and sends it to web server 605 (L1). In one embodiment of the present invention, the locate request is an XML (extended markup language) message, that specifies a set of desired vehicle attributes or criteria, the relative importance of each criterion, and the type of information to be returned by the search. For example, the response may be a summary of a list of vehicles or detailed information of a few selected vehicles. Web server 605 routes the search request to a locate inventory process 610, which is responsible for locating the product which matches or nearly matches the search criteria submitted by the consumer.

Locate inventory process 610 accesses an inventory database 612, which contains the updated inventory data all the dealerships and products in-process transit, in production, and on the order bank). inventory data importer 614 performs the inventory data import batch process in a periodic manner, such as nightly, to update the data in inventory database 612. Inventory data importer 614 may use a modem dial-up connection, file transport protocol (FTP) and/or other mechanism to pull inventory records from the dealerships. A data cleansing or inventory data verification process may be used to remove spelling mistakes and verify the VIN (vehicle identification number) against the make, model, and other features of the vehicle. cleansing process ensures that the inventory data is in a consistent and accurate format that is suitable for Inventory database 612 consumer searching and display. may be batch processed or updated in real-time necessary so that the most recent data is available for

10

15

20

25

30

searching. Weekly full extract may be performed in addition to nightly updates on new data.

A second input to locate process 610 and inventory database 612 is an enterprise vehicle information process 660, which contains and processes data related to vehicles that are in-process. Locate inventory process 610 searches inventory database 612 and returns a list of matches and near matches (L2), preferably in decreasing order of matching percentile. The consumer may peruse the list and decide to tag a vehicle on the list. she can submit a tag request message (L3). The tag request message is sent from a workflow manager 622 to The data in inventory database 612 web server 605. associated with the selected vehicle is updated to indicate that it has been tagged and that subsequent searches should yield results with the tagged vehicle Preferably, a consumer is able to tag a suppressed. vehicle only after a down payment has been paid or the consumer's credit has been approved, for example. consumer may tag a vehicle that is in inventory, intransit, in production, or on the order bank. response message (L4) is then generated and returned to workflow manager 622 to confirm that the selected vehicle has been successfully tagged for purchase. The response may be formatted and displayed to the consumer indicate success or failure and perhaps also provide an estimate of the vehicle delivery or available date. tag order message (O3) is generated and sent to workflow manager process 622 for processing. Workflow manager process 622 is one or more application servers which process vehicle orders and conveys this order dealerships 624.

If the search response indicates that no match was found or the consumer is not satisfied with the near

15

20

25

30

matches, the consumer has the option of placing a custom order for a vehicle with the desired options and features (O1 or O2). Fleet orders (O1) placed by fleet consumers are routed via web server 605 to a B2B server 640, which in turn sends the order to an order process 644 via an B2B server 640 is preferably intranet server 642. situated in an intranet environment behind a firewall that safeguards it from the outside world. Order process 644 processes the fleet order and then sends it to a entry point system corporate on-line communications (CONCEPS) 648 via an SNP server gateway 646. CONCEPS generates a new order, which is put on an order bank 656.

A retail order (O2) is also sent to workflow manager process 622, which sends it to B2B server 640 and then to CONCEPS 648 via intranet server 642, order process 644, and SNA server gateway 646. The new order is updated in order bank 656.

CONCEPS 648 returns an order status or confirmation message (O5) that confirms the fleet or retail order. The order status message is routed to workflow manager process 622.

A consumer may also request for a lead on a dealer that may have vehicles he/she is interested in test driving, for example. The BuyerConnection.com web site routes the consumer lead request (O4) to workflow manager 622, which is sent to customer service representatives and to dealerships 624. The dealerships may then contact the consumer directly either by postal mail, electronic mail, or telephone.

The BuyerConnection.com web site 602, CarPoint 626, or other presentation applications may send a status query request message (S1) to workflow manager process 622. The status request message contains an order source identifier (OrderSourceId) and a customer identifier

10

15

20

25

30

(CustomerId), which are used by workflow manager 622 to identify all the active orders for a customer. A common membership database 672 stores such customer data for the presentation applications (portals and web sites). A common membership database interface 670 may be used as an interface between common membership database 672 and web server 605. The workflow manager then returns the status history for all vehicles ordered by the customer. The reply message (S2) is sent from Workflow manager 622 to the presentation application.

Periodically, workflow manager process 622 sends a request for status message (S3) to B2B server 640, which in turn is sent to a status packager 658 via a status translator 662 and intranet server 642. The update request may be XML message that contains the order number, order line number, and item number, uniquely identify the order within a prospect/buyer The request message also may contain the database 630. model year, body style, vehicle line, and dealer code, which uniquely identify the order in enterprise vehicle information system (NAVIS) 660 until the vehicle is scheduled for manufacturing and a vehicle identification number (VIN) is assigned to the vehicle. The VIN, status code, sub-status code, and estimated time of arrival are sent to status packager 658 residing on the mainframe. in the These values are compared with the values mainframe systems and status packager 658 returns any deltas or differences. This status request may be a batch process done nightly or every predetermined time period to update the status of the orders. information message (S4) is generated by status packager 658 and returned to workflow manager 622. The status information message contains new values of fields that

15

20

25

30

were found in the mainframe systems that were different than what was in the status request message.

A report process 666 is operable to access a report data warehouse 668 and generate report data messages (R1 and R2) related to the retail orders and tagged orders, respectively, for reporting purposes. The report data are routed to BuyerConnection.com web site 602 via web server 605. Dealer lead messages (R3) are generated through a customer request to have a dealer contact the customer about a certain vehicle that the customer has selected online.

## Locate Process and Locate Process Communication Message Schema

applications described above, external As operable to submit search requests to locate process 610 to find vehicles in-process and at dealership which match or substantially match the search criteria. The search requests may be submitted in the form of XML (extended markup language) messages and the responses be received The search request messages contain the in an XML. search criterion, the relative importance or weight of each criteria, and the type of data to be returned. request application may presentation client or information for a number of reasons. For example, the client application may request a list of identifier and value pairs for a number of criteria, such as make and The returned values are model of the desired vehicle. then used to populate the criteria definition elements of the client application user interface, such as pull-down client lists of available makes and models. The application may then compile the user selected criteria

10

15

20

25

30

preferences into a second XML message that requests a list of matching vehicles in inventory database 612. The returned response message may be compatible with known formats, such as the auto-lead data format (ADF).

Referring to FIG. 8, a message flow diagram of an embodiment of the locate process according to the present The locate process includes a invention is shown. configure client 854 and a locate client 862 that reside in a client side application 850, and a locate server 821 in the server side application. A consumer calls up or downloads web pages 852 to enter the desired make, model, options and features of the product, a configure message 853 is generated and sent to configure client 854. consumer may also submit the same product criteria in a configure message 861 of the desired product via a web to search or locate vehicles matching 860 Configure generally matching the search criteria. message 861 is sent to locate client 862, which generates a locate search request message 863 containing the configuration content of configure message 861 and routes it to a locate server 821. Locate server 821 parses and uses the search criteria in the locate search request to query inventory database 612. Search results are then Locate server 821 then returned to locate server 821. generates a response message 865 containing a summary of the matched vehicles and sends it back to locate client The returned response is parsed, formatted and 862. The list of vehicles that stored in a database 869. match or generally match the submitted criteria is then displayed as content in a web page 855 to the consumer.

The consumer may then provide a selection input 856 of a particular vehicle from the list displayed in the web page, which sends a unique vehicle identifier to locate client 862. Locate client 862 generates a request

10

15

20

25

30

message 866 containing the vehicle identifier, which is then routed to locate server 821. Locate server 821 sends a query to inventory database, 612 and data 867 is returned with more detailed vehicle information, which may include the URL (uniform resource locator) of a photographic image of the selected vehicle. Locate server 821 then generates a response message 868 that includes the detailed vehicle information and routes it to locate client 862. The returned detailed vehicle information is stored in cache 869 as well as displayed to the consumer in a web page 857.

The consumer may "tag" a selected vehicle after viewing the vehicle information to secure the right to purchase the vehicle. The consumer generates a tag message 858 that contains the unique vehicle identifier, which is delivered to locate client 862. This may be accomplished by clicking on a link on the web page, which may be represented by the image of the vehicle, for example. Locate client 862 then forwards the tag message to workflow manager 622. Workflow manager 622 sends a temporary tag to locate server 821. Locate server 821 then sends a message 872 to data import database 614 to the selected vehicle therein. Data database 614 replicates the tag and vehicle identifier information 874 and sends it to inventory database 612. Locate server 821 further generates a tag confirmation message 876 and sends it to workflow manager 622 to indicate that the data associated with the selected vehicle has been updated to indicate that it has been The consumer may then complete the purchase of tagged. the tagged vehicle.

FIG. 9 is a locate server message flow diagram 900 according to an embodiment of the present invention. A listener 902 is preferably a secured XML listener on port

15

20

25

30

80 of locate server 821 that accepts XML messages sent from requesting presentation applications. Listener 902 provides support for authenticating whom the request is from using private key infrastructure (PKI) encrypted user credentials, for example. Based on the requester's identity, listener 902 applies pre-assigned business rules to the request to allow or deny access to specific functions and data sets supported by locate server 821. Listener 902 then sends the message to a parser 904.

Parser 904 reads the request messages and parses out specific portions thereof, which are passed as parameters to the underlying search processes via a dispatcher 906. Each parser 904 is persistent until a response received from dispatcher 906. The content of the request messages generally includes request conditions or request Request conditions include required fields, optional fields, relevance weights, maximum record count, Request criteria include specific vehicle configuration, such as make, model, options, and features Two types of vehicle searches are to search for. supported, one that returns a summary of vehicles that fits the search criteria, and one that returns detailed information of selected vehicles or a smaller subset of vehicles.

Dispatcher 906 examines the content of incoming parameters received from parser 904 and determines which underlying locate server function is needed to process the request. For example, the request may be a search request for vehicles that match a set of criteria or a tag request on a particular vehicle. Dispatcher 906 may examine the parameters against business rules defined for the requesting application, and replace any offending parameters with permissible parameters. Dispatcher 906 may also provide the overall locate server monitoring and

10

15

20

25

30

control functions for spawning additional processes or threads to service incoming requests, and to manage the overall creation and destruction of pooled database sessions.

a locate server process that is Searcher 908 receives the incoming parameters from dispatcher 906 and converts them into an SQL (structured query language) query against inventory database 612. Searcher 908 uses the passed parameters to select one or more vehicles that match or generally match the required field values, and then evaluate the optional or preferred values of each Weight factors may be used to calculate a vehicle. relevance value for each vehicle. The relevance calculations are dynamic, and therefore can support any not of weighted factors and values, only application, but by individual requests. This allows applications to vary the weight factors to determine the mix that most accurately returns a relevance based on their business needs, or alternatively, allow the consumers to provide their own relevance values.

Search values are returned from inventory database 612 to searcher 908, which passes the returned values to dispatcher 906 and then to parser 904. Parser 904 constructs a response XML message and sends it to the requesting application.

Processing on the locate client side according to the teachings of the present invention is shown in FIG. 10. A message converter 922 is operable to receive an XML document from the configure process and search criteria parameters as input to generate a locate request XML formatted document output. Using message converter 922, applications are not required to modify their application when new versions of communication schemas are rolled out. Message converter 922 is also operable

10

15

20

25

30

to accept text inputs to generate a locate request document. A sub-function of message converter 922 is a tag parser that creates supported tag messages and returns the status from the tag response message.

A message client 924 is a multi-threaded HTTP (hypertext transfer protocol) process that provides the required functions to received the XML formatted document, then generates and sends XML messages and application credentials to and from the locate server.

A response parser 926 receives and processes the response XML documents. Response parser 926 outputs an ADO record set object that can easily be inserted into an application cache for paging, sorting or other application specific data functions.

a block diagram Referring to FIG. 11, embodiment of a search engine 962 of the locate process is shown. Search engine 962 includes at least two layers or tiers - a business tier 964 overlaying a data tier Data tier 966 includes inventory database 612, 966. which contains data on enterprise-wide in inventory and Data tier 966 also includes a in-process products. object DataObj.InventorySimpleSearch DataObj.InventorySimpleSearch object 976 exposes a set of methods that may be called by business tier 964 to search inventory database 612. Business tier 964 includes a 972 and а BusinessASP.Listener object BusinessObj.BusinessObject object 974. BusinessObject object 974 is the main component that implements the and validates user privilege. business rules listener object 972 parses the request XML messages sites and interprets web the received from The listener object information for the BusinessObject. 972 is also operable to generate the XML reply messages. A Locate.ASP page 970 is operable to fetch the request

10

15

20

25

30

XML messages received from the web sites and passes it to the listener object 972. Locate.ASP page 970 is also operable for pushing the reply XML messages back to the web site that submitted the search request messages.

A search request can be submitted to search engine 962 by using the HTTP by posting an XML request message to Locate.ASP page 970. Locate.ASP page 970 may respond by returning a reply XML message containing the search results. The search request is contained in the body of an HTTP message and the search result is contained in the body of a returned HTTP message. A valid user name and password with the necessary privilege is required to post a request to the Locate.ASP page 970.

A number of alternative means of initiating the locate search request is available depending on the operating system. For example, on the Windows NT 4.0 platform, the request message may be posted using the Winlnet<sup>TM</sup> API (application program interface), the WINSOCK<sup>TM</sup> API, or the Microsoft.XMLHTTP<sup>TM</sup>. Other means are available as known in the art.

Optionally, the search request message can be submitted to search engine 802 by passing the XML message to a Business.Listener COM (common object model) object. This object exposes a single method, ProcessXMLRequest, that accepts the XML message as a string.

Search engine 802 will accept a search request submitted by web sites that has a valid user name and password with the necessary privileges. Roles are assigned to the web sites that identify the web sites and its available functionality. Business tier 804 verifies that the web site has the correct role to perform the requested task. A site role uniquely identifies the web site that is using the user name to request service from search engine 802. For example, the BuyerConnection.com

10

15

20

25

web site is required to have the SiteBuyerConnection role. The site role assignments are used to accomplish site-specific validations. A second role, functionality role, is used to identify the privilege of the user or web site. For example, to search the dealer inventory database, the user needs the FunctionalitySearchDealerInventoryDatabase role assigned thereto.

As described above, the locate processes involves generating and sending XML messages in one embodiment, such as sending search request XML messages and search response XML messages. XML is primarily used to support application-to-application data exchange formats, such as traditional EDI (electronic found in that interchange) over the Internet. The format of these XML messages are now described. It should be noted that the XML implementation of the messages is but one embodiment of the messaging schema, and that other languages and communication schemes can also be used.

In XML, tags are used to demarcate data content and data fields so that the content can be interpreted and manipulated. In XML, ELEMENT TYPE tags are used to define the various fields or parameters, a NAME tag sets out the name of the field, and a CONTENT tag sets out the data content of the field. Nested ELEMENT TYPE may be defined to describe a more complex data structure. For example,

It may be seen that the vehicle field has five parameters that contains data on the vehicle.

A search request message contains a specification of a set of vehicle attributes to be searched. For example, a search request message may have the format 1000 shown in FIG. 12. A search request tag 1002 is the top level tag for the locate request. A request message may include many request parameters that describe many attributes, with each following the same general format shown. Each search request 1002 includes a criteria tag 1004, which "wraps" all criterion 1006 for one search query. The valid values for criterion include dealer, make, model, and other options and features.

15

35

40

10

5

```
<ElementType name = "Criterion" content = "eltOnly" order =</pre>
     "seq">
     Attribute Type name = "type" dt:type = "enumeration"
dt:values = "vin dealer make model year package engine transmission
     tires exteriorpaint interiortrim roofcolor seattrim accentcolor stage
20
     option msrp bodystyle vehicletype category askingprice condition
     wheels audiotype"/>
                  <Attribute Type name = "required" dt:type = "boolean"</pre>
     required = "yes"/>
                  <Attribute Type name = "weight" dt:type = "number"/>
25
                   <attribute type = "type"/>
                   <attribute type = "required"/>
                   <attribute type = "weight"/>
                   <element type = "Value" minOccurs = "0" maxOccurs = "*"/>
                  <element type = "Range" minOccurs = "0" maxOccurs = "*"/>
30
            </ElementType>
```

At least one criterion 1006 includes a value parameter 1008 and/or a range of values 1010 that specify the weight or relative importance of the criterion. Range of values 1010 is specified by a minimum value 1012 and a maximum value 1014. Request 1002 further includes a select parameter 1016 specified by an item parameter 1018. Select and item parameters 1016 and 1018 are used to specify whether a vehicle summary or vehicle detailed information is requested.

10

15

20

25

30

Referring to FIG. 13, an embodiment of the format of a search response 1020 is specified by search results tag Search results tag 1022 include an errors tag 1024 and a vehicles tag 1026. Errors tag 1024 is used to is unsuccessful. if the search information return Vehicles tag 1026 contains data on one or more vehicle 1027 that fits the search criteria. An identification tag 1028 contains a unique VIN and/or stock number that is used to identify the vehicle. A status tag 1029 contains the status of the vehicle, including condition, process tag, days in inventory, and description. A dealer code tag 1030 contains an identifier that specifies the dealership that has the vehicle in inventory. Configured model tag 1031 is used to specify detailed information of the vehicle, including price information (type, value, make (code, description) 1033, model 1032, currency) (code, name, year, trim, description) 1034, engine specifications (code, displacement, number of cylinders, fuel type) 1035, transmission specifications (code, type, speed, description) 1036, exterior paint color (code, description) 1037, wheel specifications (code, diameter, specifications tire 1038, description) manufacturer, description) 1039, seat trim color 1040, interior trim materials 1041, audio system specifications (code, radio, cassette, CD, description) 1042, two-wheel or four-wheel drive 1043, cab style 1044, body style 1045, rear axle ratio 1046, payload package (extra payload or towing capacity) 1047, wheel base length 1048, roof color 1049, number of doors 1050, accent color (such as exterior paint color for the bottom half of the vehicle) 1051, spare tire specification 1052, preferred equipment package (PEP) 1053, option package 1054, stand alone options 1055, and any error message 1056. Lastly,

15

20

25

30

warranty information is contained in a warranty parameter 1057.

A tag request message is sent from the workflow manager to the locate process in order to tag a vehicle for purchase. An embodiment of the tag request message format 1060 is similar to a tagged order message schema, Tag request format which is shown in FIG. 14. includes a top-level tagged order tag 1061. message 1060 includes four additional tags or parameters: credit 1072, information 1062, contact authorization number 1082, and tagged configuration 1084. Order information 1062 includes the following parameters: order source identifier 1063, session identifier 1064, order number 1065, order total price 1066, deposit amount 1067, order date 1068, order time 1069, dealer code 1070, and payment method 1071. Order source identifier 1063 and session identifier 1064 are used to identify the web site and session that submitted the order. Order number 1065 is a unique identifier generated and assigned to the order.

Contact 1072 contains customer contact information, such as a unique customer identifier 1073, name 1074, address 1075, email address 1076, daytime phone number 1077, evening phone number 1078, fax number 1079, a field 1080 describing the best method to contact the customer, and any other comments 1081.

Credit card authorization number 1082 is the authorization number generated in response to approving the use of the customer's credit card to tag the vehicle for purchase.

The tagged configuration parameter 1084 contains data of the tagged vehicle: VIN 1085, stock number 1086, item number 1087, order line number 1088, matched configuration 1089, configured model 1090, tagged dealer

10

15

20

25

30

1121, selected dealer 1122, vehicle initial status 1123 (new, used, in-stock), and locate search identifier 1124. Stock number 1086 is a number assigned to the vehicle by the dealer, item number 1087 is a number assigned to the mainframe. Matched enterprise vehicle by the configuration 1089 is a Boolean value (true or false) that indicates whether the tagged vehicle is exactly the same as the configured vehicle. Locate search identifier 1124 identifies the tagged configuration selected by the The configured model 1090 customer to place an order. parameter contains the same data on the configured for 1091 (taq prices vehicle, including information), price 1092 (price offered to the Internet customer, manufacturer's suggested retail price, invoice price), make 1093, model 1094, engine specifications 1095, transmission specifications 1096, exterior paint color 1097, wheels 1098, tires 1099, seat trim 1100, interior trim 1101, audio type 1102, drive 1103, cab 1104, body style 1105, rear axle ratio 1106, payload package 1107, wheel base 1108, roof color 1109, number of doors 1110, accent color 1111, spare tire 1112, PEP 1113, PEP package content 1114, option package 1115, option package content 1116, stand alone options tag 1117 for stand alone option 1118, errors tag 1119 for error 1120.

Tagged dealer 1121 is a tag for the dealer code of the dealer that has the requested vehicle. Selected dealer 1122 is the tag for the dealer code that the customer has selected from whom to purchase the vehicle. Vehicle initial status 1123 is the new, used, or in-stock Locate search status of the vehicle when it is tagged. used to identify the is 1124 identifier configuration selected by the consumer to place the order.

In response to the tag request, a tag response message is generated. The tag response schema may include the order number, order line number, item number, model year, dealer code, body style, VIN, stock number, status type, status, message, action code, receipt date, process date, and process time. The tag response message is returned to Workflow manager as a confirmation that a vehicle has been successfully tagged in the database for purchase.

10

15

30

## Order Process and Order Process Communication Message Schema

Referring to FIG. 16, an overall data flow diagram for the order process according to an embodiment of the present invention is shown. As described above, the order process allows an Internet customer to submit a lead to a dealership or purchase vehicle from dealer inventory, vehicles in-transit, or orders scheduled to be built. Order process 644 receives an order number from a 20 vehicle order application 1150, which typically resides at a web site, portal or is part of the portal. order application 1150 also sends initial order initial information, credit card authorization information to workflow manager 622. Order process 644 25 places the order into the enterprise ordering system 1158, which resides on the enterprise mainframes. Enterprise ordering system 1158 returns an item number and other order validation information to order process 644. Enterprise ordering system 1158 also sends the item number and order validation information to a dealer 1160 that either has the selected vehicle or will delivery of the vehicle to the consumer. The item number, order number and order validation information are

15

20

25

30

also provided to a customer service process 1164, which is operable to communicate with the customer 1162 via several modes of communication. Dealer 1160 may also initiate change to an order by sending the change information to enterprise ordering system 1158 as well as to workflow manager 622. The order change information is provided to a reporting data collector 1154. Workflow manager 622 also provides order status information to status module 1156.

FIG. 17 is a more detailed block and flow diagram of an embodiment of new order processing according to the teachings of the present invention. A consumer 601 submits a new order 1200 to a web site 602, which is constructed as interface between the vehicle an manufacturer and the customers. As described previously, the consumer has performed a search and has selected a vehicle that satisfies the consumer's selection criteria. Web site 602 retrieves vehicle configuration information 1201 from configuration and pricing database 608, and customer data 1202 from common membership database 672 via interface 670. Web site 602 sends a request 1203 for credit card authorization to a credit card process 1232, which returns a credit card authorization reply 1204 to web site 602. Web site 602 also sends an order number request 1205 to an order number generator 620, which generates a unique order number 1206 used to identify the Web site 602 provides an order confirmation 1207 order. with the received order number to consumer, which is Web site 602 provides a new displayed on a web page. order message 1028 to workflow manager 622, forwards the new order information 1209 to prospect/buyer database 630 and to B2B server 640 in the form of a new order message 1210. B2B server 640 forwards new order message 1211 to order process 644. Order process 644

15

20

25

30

then sends the new order information 1212 to SNA server 646, which also sends the new order information 1213 to CONCEPS 648. CONCEPS 648 forwards the new order 1214 to order bank 656. CONCEPS 648 sends the dealer order data portion 1215 of the new order to dealer order database 650. CONCEPS 648 then returns edit results 1216 to SNA server 646, which forwards the information 1217 to order process 644.

In response to receiving the CONCEPS edit results, order process 644 sends an order confirmation message 1218 to B2B server 640. Order process 644 may also request status action 1219 from a status action lookup process 662, which returns a status action reply 1220. B2B server 640 forwards the order confirmation message 1221 to workflow manager 622. Prospect/buyer database 630 is then updated with initial order status by workflow manager 622. Workflow manager 622 sends information on the new order to dealer 624. Workflow manager 622 also sends clean/dirty status 1224 to customer assistance center/business assistance center, and customer service (CAC/BAC CSR) 632. representatives Back the enterprise mainframe, order processing re-edit process 652 updates order bank 656, and updates dealer order information stored in dealer order database 650. order data 1227 is forwarded to a dealer order process 654, which sends a dealer order receipt acknowledgement report 1228 to dealer 624. Customer service representatives 632 is provided with follow-up and status updates 1229. Workflow manager 622 provides dealer 624 with periodic status updates. Dealer 624 sends a credit card payment request 1230 to workflow manager 622, which forwards the request 1231 to credit card processor 1232.

FIG. 18 is a more detailed block and flow diagram of an embodiment of tag order processing according to the

15

20

25

30

teachings of the present invention. A consumer 601 submits a tag order 1300 to web site or portal 602, which is constructed as an interface between the vehicle manufacturer and the customers. Web site 602 receives a vehicle configuration message 1301 from vehicle configuration and pricing database 608 and receives information 1302 on vehicle inventory search from locate process 610. Customer profile data 1303 are also stored into common membership database 672 via common membership database interface 670. Web site 602 also submits a credit card authorization request 1304 to a credit card processor 1220, which then returns a reply 1305. site 602 also sends an order number request 1306 to order number generator 620, which then returns a unique order number 1307. The process by which the order numbers are generated is shown in FIG. 23 and described below. Web 602 then sends an order confirmation 1308 to consumer 601 with the generated order number.

Thereafter, web site 602 sends a tag order message 1309 to workflow manager 622, which forwards the new tag order information to prospect/buyer database 630. temporary inventory tag message 1311 is then sent from workflow manager 622 to locate process 610. A temporary tag is used initially when an Internet consumer requests to tag or reserve a vehicle. When a vehicle is temporarily tagged, it is not returned in subsequent Locate process 610 updates the data in search results. the inventory database and sends a tag response message 1312 back as confirmation. Workflow manager 622 also informs dealer 624 by sending a new tag order 1313.

Periodically or when necessary, workflow manager 622 and dealer 624 communicate to inform one another of inventory availability follow-up an status updates 1314. Prospect/buyer database 630 is updated by order status

15

20

25

30

updates 1315 from workflow manager 622. Workflow manager 622, at the request of dealer 624 or consumer 601, may also send request messages 1316 to permanently tag or untag a vehicle in the database. A permanent tag is typically submitted by a dealer through the workflow manager to indicate that the transaction is completed on a vehicle that had been previously temporarily tagged. permanent tag message deletes the vehicle from the inventory database. An untag message is used to cancel a temporary tag on a vehicle. The untag message allows the specified vehicle to again be searched pursuant to subsequent search requests. An untag message may be submitted by a dealer, the CAC/BAC, CSR, consumer, or via locate administrative process that searches for expired temporary tags. A temporary tag automatically expires after a predetermined period, such as 30 days, Customer service representatives 632 example. updates or is updated by dealer 624 regarding inventory availability follow-up and status updates 1317. 624 also sends a credit card payment request 1318 to workflow manager 622, which sends the request 1319 to credit card processor 1220.

FIG. 19 is a more detailed block and flow diagram of an embodiment of customer lead processing according to the teachings of the present invention. Consumer 601 requests 1330, from web site 602, information on a dealership, or a lead on the dealership. Vehicle configuration information 1331 is then retrieved from configuration/pricing database 608 to web site 602. Web site 602 also stores or retrieves customer profile data 1332 to or from common membership database 672. Web site 602 sends a request 1333 for a lead number to a lead number generator 1334. A lead number 1335 is generated and routed to web site 602. A lead confirmation 1336 is

15

20

25

sent to consumer 601 to provide the information on the selected dealer. A lead message 1337 is then sent to workflow manager 622, which stores the dealer information 1338 associated with the consumer in prospect/buyer database 630. The lead information 1339 is also provided to dealer 624, so that the dealer may follow-up on the lead with the consumer. Dealer 624 may report to workflow manager 622 with lead follow-up and status update information 1340, when dealer 624 follows with consumer 601. Lead status information 1342 is provided to prospect/buyer database 630. Dealer 624 also provides customer service representatives 632 lead follow-up and status update information 1343.

An unscheduled order may be cancelled as shown in the block and data flow diagram shown in FIG. 20. opposed to a scheduled order, an unscheduled order is one that is initiated by the consumer and not previously planned or scheduled by the enterprise. Consumer 601 sends a cancel request 1360 to dealer 624. Consumer 601 may also convey his or her desire to cancel the order via communication 1361 to customer representatives 632, which conveys the cancel request 1362 to dealer 624. Dealer 624 then submits a cancel message 1363 to CONCEPS 648. In response, CONCEPS 648 updates order bank 656 with a cancel message 1364. Dealer 624 further sends a status update 1365 to workflow manager 622, which forwards a status update 1366 to prospect/buyer database 630.

A scheduled order may be cancelled as shown in the block and data flow diagram shown in FIG. 21. Consumer 601 communicates his/her desire to customer service representatives 632 to cancel the order 1380. In response, customer service representatives 632

20

25

30

communicate the cancel request to dealer 624 and also send a cancel request 1382 to a mech. spec. process 1382. Mech. spec. process 1382 sends a cancel message 1384 to a MP&L process 1385. MP&L process 1385 in turn sends status updates 1386 and 1388 to order bank 656 and enterprise vehicle information process 660. Dealer 624 further sends a status update 1389 to workflow manager which forwards a status update 1390 prospect/buyer database 630.

The consumer may also change the specification of the vehicle which he/she has ordered. A block and data flow diagram of an embodiment of the specification change process is shown in FIG. 22. Consumer 601 communicates a specification change request to dealer 624. Consumer 601 may also convey his or her desire to cancel the order via some communication 1401 to customer service representatives 632, which convey the specification change request 1402 to dealer 624. Dealer 624 then submits a specification change message 1403 to CONCEPS In response, CONCEPS 648 updates order bank 656 648. with information on the specification changes 1404. Dealer 624 further sends a status update 1405 to workflow manager 622, which forwards a status update 1406 to prospect/buyer database 630.

FIG. 23 is a flowchart of an embodiment of an order number generator and process 1500 according to the teachings of the present invention. Order number generator 1500 receives a request to generate an order number, as shown in block 1502. A determination is made as to the origin of the request, as shown in block 1504, as any number of web sites authorized to do business with the present system may generate this request. In block 1506, it is determined whether the request came from a first web site, such as ford.com, buyerconnection.com or

20

25

30

If the first web site carpoint.com, for example. generated the order number request, then a predetermined constant, alpha, and a counter are used to generate an order number, as shown in blocks 1507 and 1508. Similarly, for each web site, a different set of alpha and counter are used to generate a unique order number, as shown in blocks 1511-1515. In blocks 1518 and 1519, an encryption algorithm is used to encrypt the counter This is done so that the Nth order does not get assigned an order number N. The order number is then sent to the requester, as shown in block 1520. The process ends in block 1521.

FIG. 24 is a message hierarchy diagram of customer request messages 1530 sent from the consumer web site to the workflow manager according to the teachings of the There are at least two types of present invention. customer request messages: an order 1532 and a lead 1533. There are at least three types of messages conveying an order: fleet order message 1534, retail order message 1535, and tagged order message 1536. A fleet order message 1535 is used primarily to place an order encompassing multiple vehicles. A tagged order message 1536 is used primarily to place an order on a vehicle that was identified by the locate process. The selected vehicle may be in dealer inventory, in-transit, process, or on the order bank. A retail order message 1535 is used primarily to place an order by a dealer. discussed above, XML messaging or other comparable means may be used for communicating the order information between components in the present system.

Fleet order XML message 1535 includes three primary parameters: order information 1537, fleet contact 1538, and fleet configuration 1539. Similarly, retail order XML message 1535 includes an order information parameter

15

20

25

30

a contact parameter 1541, a credit card 1540, authorization number parameter 1542, and a retail configuration parameter 1543. Tagged order message 1536 also includes an order information parameter 1544, a contact parameter 1545, a credit card authorization 1546, and a tagged configuration number parameter parameter 1547. It may be seen that there is commonality between the message formats for the three types of order The detailed format of each order message is messages. described below.

The fleet order message includes a top level tag, FleetOrder 1560, and three tags, OrderInformation 1562, FleetContact 1563, and FleetConfiguration 1564, at the As described above, OrderInformation tag next level. 1562 is used to include data related to the order, FleetContact tag 1563 is used to include data related to the contact or the purchaser, and FleetConfiguration tag 1564 is used to include data related to the vehicle configuration of the ordered vehicles. The order information parameters include order source identifier 1566, session identifier 1567, order number 1568, order total price of the fleet 1569, deposit amount 1570, order date 1571, order time 1572, dealer identification code 1573, and payment method 1574. The fleet contact parameters include the name of the contact person 1576, address 1577, email address 1578, daytime phone number 1579, and facsimile number 1580.

The fleet configuration parameters include specifications on the configured model, which is the same or similar to the format used in the tag request message. The configured model parameters include price information (type, value, currency) 1582 and 1583, make (code, 1584, model (code, description) name, year, trim, description) 1585, engine specifications (code,

10

15

20

25

30

displacement, number of cylinders, fuel type) 1586, transmission specifications (code, type, speed, description) 1587, exterior color paint description) 1588, wheel specifications (code, diameter, 1589, description) tire specifications manufacturer, description) 1590, seat trim color 1591, interior trim materials 1592, audio system specifications (code, radio, cassette, CD, description) 1593, two-wheel or four-wheel drive 1594, cab style 1595, body style 1596, rear axle ratio 1597, payload package (extra payload or towing capacity) 1598, wheel base length 1599, roof color 1600, number of doors 1601, accent color (such as exterior paint color for the bottom half of the vehicle) 1602, spare tire specification 1603, preferred equipment package (PEP) 1604, PEP package content 1606, option package 1607, option package content 1608, stand alone options 1609, stand alone package content 1610, and any error messages 1611 and 1612.

Another fleet configuration parameter is fleet data 1613, which contains information related to the fleet Another parameter is special paint options 1614, which contains additional exterior paint options that the fleet customer may specify. Dealer special options parameter 1615 allows the fleet customer to specify additional special options for the vehicles. Price concession 1616 is used to provide information on any price concessions that may have been made to secure the fleet order. A note parameter 1617 allows additional information related the fleet order to The next two parameters, narrative ship to communicated. 1618 and narrative ship through 1619 are used to provide detailed information on shipping the vehicle fleet. ship to and ship through information includes name, street address, city, and state information. A pilot

15

20

25

30

request parameter model inspection 1620 contains information related to pilot model inspection, such as contact name, phone number, and date. A production request disclaimer 1621 is used to convey information on the production request disclaimer, such as information related to the approval or rejection of the disclaimer. request parameter 1622 is used production communicate information on production request, such as month, week, contact name, and information. Additional information may be provided in a The next parameter, order line remarks parameter 1623. number 1624, provides the line number for a given configuration within an order. A quantity parameter 1625 is used to communicate the number of vehicle ordered for the fleet order. Lastly, a priority code parameter 1626 is a value used for production scheduling priority.

As shown in FIG. 26, the retail order message includes a top level tag, RetailOrder 1640, and four 1641, Contact tags, OrderInformation 1642, CreditCardAuthNum 1643, and RetailConfiguration 1644, at the next level. As described above, OrderInformation tag 1641 is used to include data related to the order, Contact tag 1642 is used to include data related to the contact or the purchaser, CreditCardAuthNum 1643 is used to include the credit card authorization number, and RetailConfiguration tag 1644 is used to include data related to the vehicle configuration of the ordered vehicles. The order information parameters include order source identifier 1648, session identifier 1649, order number 1650, total price of the order 1651, deposit amount 1652, order date 1653, order time 1654, dealer identification code 1655, and payment method 1656. The contact parameters include information on the customer, such as a customer identifier 1657, the name of the

10

15

20

25

customer 1658, address 1659, email address 1660, daytime phone number 1661, facsimile number 1662, the best way to contact the customer 1664, and a field 1665 for including comments related to the customer.

parameters include configuration retail The specifications on the configured model, which is the same or similar to the format used in the tag request message The configured model and the fleet order message. value, information (type, include price parameters currency) 1670 and 1671, make (code, description) 1672, model (code, name, year, trim, description) 1673, engine specifications (code, displacement, number of cylinders, fuel type) 1674, transmission specifications (code, type, speed, description) 1675, exterior paint color (code, description) 1676, wheel specifications (code, diameter, specifications 1677, tire description) 1678, seat trim color 1679, manufacturer, description) interior trim materials 1680, audio system specifications (code, radio, cassette, CD, description) 1681, two-wheel or four-wheel drive 1682, cab style 1683, body style 1684, rear axle ratio 1685, payload package (extra payload or towing capacity) 1686, wheel base length 1687, roof color 1688, number of doors 1689, accent color (such as exterior paint color for the bottom half of the vehicle) 1690, spare tire specification 1691, preferred equipment package (PEP) 1692, PEP package content 1693, option package 1694, option package content 1695, stand alone options 1696, stand alone package content 1697, and any error messages 1699 and 1700.

Another retail configuration parameter is street address, city, and state information. The next parameter, order line number 1701, provides the line number for a given configuration within an order. A configuration identifier 1702 is a unique configuration

10

15

20

25

identifier that specifies the vehicle configuration selected by the customer in the order. A quantity parameter 1703 is used to communicate the number of vehicle ordered.

The lead message format is much like the fleet order and retail order message formats. FIG. 27 shows an embodiment of the lead message format according to the present invention. The lead message includes a top level tag, lead 1720, and four tags, LeadInformation 1721, Contact 1722, RetailConfiguration 1723, and Dealer 1723, at the next level. As described above, LeadInformation tag 1721 is used to include data related to a dealer lead that the customer is requesting, Contact tag 1722 is used to include data related to the customer desiring the lead information, RetailConfiguration tag 1723 is used to include data related to the vehicle configuration of the ordered vehicles, and Dealer 1724 is used to include data related to the dealer.

The lead information parameters include a lead number 1725, a lead source identifier 1726, session identifier of the online session with the customer 1727, lead date 1728, lead time 1729, time frame for contacting the customer 1730, and payment method 1731. The contact parameters include information on the customer, such as a customer identifier 1732, the name of the customer 1733, address 1734, email address 1735, daytime phone number 1736, evening phone number 1737, facsimile number 1738, the best way to contact the customer 1739, and a field 1740 for including comments related to the customer.

30 The retail configuration parameters include specifications on the configured model, which is the same or similar to the format used in the tag request message, the fleet order message, and the retail order message. The configured model parameters include price information

15

20

25

(type, value, currency) 1750 and 1751, make (code, 1752, model (code, description) name, year, trim, description) 1753, engine specifications (code, displacement, number of cylinders, fuel type) 1754, transmission specifications (code, type, speed, 1755, description) exterior paint color (code, description) 1756, wheel specifications (code, diameter, 1757, tire specifications description) manufacturer, description) 1758, seat trim color 1759, interior trim materials 1760, audio system specifications (code, radio, cassette, CD, description) 1761, two-wheel or four-wheel drive 1762, cab style 1763, body style 1764, rear axle ratio 1765, payload package (extra payload or towing capacity) 1766, wheel base length 1767, roof color 1768, number of doors 1769, accent color (such as exterior paint color for the bottom half of the vehicle) 1770, spare tire specification 1771, preferred equipment package (PEP) 1772, PEP package content 1773, option package 1774, option package content 1775, stand alone options 1776, stand alone package content 1777, and any error messages 1778 and 1779.

Another lead retail configuration parameter is order line number 1742, provides the line number for a given configuration. A configuration identifier 1743 is a unique configuration identifier that specifies the vehicle configuration selected by the customer in the order. A quantity parameter 1744 is used to communicate the number of vehicle the customer is interested in.

Lead message 1720 further includes a dealer 30 parameter 1724. Dealer parameter 1724 is used to communicate information related to the dealer that the customer desires to contact, such as a dealer identifier or code 1745, the name of the dealer 1746, the address of the dealer 1747, and the phone number of the dealer 1748.

10

15

20

25

30

## Status Process and Status Process Communication Message Schema

FIG. 28 is a block and flow diagram of an embodiment of status translator process 662 and status packager 658 which constitute the status process according to the teachings of the present invention. The status process is operable to update, package, and deliver vehicle order status information to consumer, intranet consultants, consumer service representatives, and the prospect/buyer database. Periodically, such as nightly, workflow manager 622 sends a status update request to the status process. In response, the status process sends batch data update messages 1800 to workflow manager 622. the Status process also sends batch status data updates 1801 to report process 666.

Status translator 662 receives the data updates from status packager 658, which extracts the update information from the mainframe systems in the enterprise. packager 658 extracts example, status information from enterprise vehicle information process and order bank 656 in the corporate mainframe facility and data center, as shown in FIG. 7. packager 658 tracks at least one field in the data records for changes, and communicates the changes. Status packager 658 matches certain data field contents orders with data from enterprise information process 660 and order bank 656 to detect changes to the order. For example, status packager 658 may track changes in the status code, sub-status code, , produce date, shipped date, deliver date, estimated time of arrival, and the establishment of a full 17 position VIN, and reports the changes to status translator 662,

20

25

30

which then reformats the data and sends it to workflow manager 622 and report process 666. Workflow manager 622 then stores the data in prospect/buyer database 630 (FIG. 7) Status packager 658 sends the status change data in a comma delimited flat file, for example, to status translator 662, which is then operable to translate it into an XML message, for example. In one embodiment of the present invention, the file transport communications mechanism between status packager 658 and translator 662 FTP(file transfer protocol) is WinINET, and the mechanism between status translator and workflow manager 622 is XML via HTTP.

Status translator 662 includes a communicator object 1802 and a translator object 1804. Communicator object 1802 receives either an XML message from workflow manager 622 or a comma delimited flat file from status packager, and hands both to translator object 1804 for file format conversion from one to the other. Translator object 1804 then carries out the file reformatting task and returns the converted file to communicator object 1802 transmission to the appropriate destination. manager 622 then uses the order number, order line number, and item number in the XML message to locate the specific order record in buyer/prospect database. tag attribute, such as a change flag, of the order is true, then certain data field contents are added to the batch file as update data. For example, the status code, sub-status code, ETA, VIN, scheduled date, produced date, shipped date, delivered date, last update date, and last update time are added to the vehicle order status history buyer/prospect database 630 if the change flag attribute indicates that data has been changed.

An online consumer may send a status request message 1810 from a consumer web site (shown as Ford of Canada in

10

15

20

25

30

FIG. 28) to workflow manager 622, which allows workflow manager 622 to respond to the request with data from prospect/buyer database 630. Using the order source identifier and the customer identifier, workflow manager 622 extracts the relevant record(s) in prospect/buyer database 630. The status history data for that active record is also returned as part of the response. Workflow manager 622 then sends the status data to the consumer interface presentation application, i.e. the web site, for display to the consumer.

29 is a diagram of a consumer status query message schema according to the teachings of the present The consumer status query message includes a invention. StatusConsumerRequest tag 1820, which includes an order 1821 and a customer source identifier (OrderSourceId) Order source identifier identifier (CustomerId) 1822. 1821 is used to identify the presentation application, or the consumer web site, from which the status query was submitted. Customer identifier 1822 is used to identify the online consumer that submitted the status query. Using these two identifiers, workflow manager 622 locates all active orders for the customer, and generates a reply message, the format of which is shown in FIG. 30. embodiment of the present invention, the status query message and the reply message are implemented in XML.

Referring to FIG. 30, the customer status request reply message includes a top level StatusConsumerReply tag 1830, which identifies the message, and a next level tag, StatusConsumerReplyOrder 1831, which identifies each order within the consumer status reply message. For each order, OrderNumber 1832 is used to identify the order. In addition, OrderDate 1833, Vendor 1834, PriceLevel 1835, VehicleConfig 1836 also are used to describe the transaction. A StatusHistory parameter 1837 is used to

15

20

25

30

provide information on the status and history of the order. StatusHistory 1837 includes ProduceDate 1838, ShippedDate 1839, and DeliveredDate 1840. StatusHistory further includes a StatusRecord tag 1847, which includes the following fields or parameters: a status code 1848 that represents the current status of the ordered vehicle, narrative text to describe the status code (StatusLiteral 1849), sub-status code 1851, ETA 1852, a scheduled date 1850 for delivery, VIN 1853, the last update date 1854, and the last update time 1855.

FIG. 31 is a diagram of an embodiment of the batch status query message according to the teachings of the present invention. The status batch request is sent from components in the system, such as workflow manager 622, to status translator 662. The status batch request contains a top-level tag, StatusBatchRequest 1870, which includes StatusBatchRequestOrder tag 1871 to identifies each order within the status batch request message. The parameters for each vehicle order includes the order number 1872, order line number 1873, model year 1874, vehicle line 1875, body style 1876, dealer code 1877, item number 1878, status code 1878, sub-status code 1880, ETA 1881, VIN 1882, and ScheduledDate 1883.

FIG. 32 is a diagram of an embodiment of a batch reply message schema according to the teachings of the present invention. The status batch reply message includes a top level StatusBatchReply tag 1890, which includes a StatusBatchReplyOrder tag 1891 that is used to identify each order in the message. For each order, the following parameters are provided: order number 1892, order line number 1893, model year 1894, vehicle line 1895, body style 1896, dealer code 1897, item number 1898, status code 1899, sub-status code 1901, ETA 1902, VIN 1903, ScheduledDate 1904, ProducedDate 1905,

15

20

25

30

ShippedDate 1906, DeliveredDate 1907, last update date 1910, and last update time 1911. Status code 1899, substatus code 1901, ETA 1902, and VIN 1903 each further includes a change flag that is used to indicate whether change to the data has been made.

# Report Process and Report Process Communication Message Schema

FIG. 33 is a simplified block and flow diagram of report process 666 according to the teachings of the present invention. Report process 666 includes a data collector 1154, an OLAP (online analytical processing) server 1932, and a reporting web portal operation, a user accesses report processor 666 via reporting web portal 1934, which communicates with OLAP OLAP server 1932 contains formatted data server 1932. accessed from the raw data stored in report warehouse 668. Report process 666 first authenticates the user by verifying that the given user identifier and password are valid. As the user requests a specific report, whether the user has authorization to access the requested report is verified. A number of users may have access to the reports provided by report process 666, including online customers, dealers, enterprise engineers and managers, system administrators, system analysts and suppliers.

Report process 666 is operable to capture and store a variety of data from several components of the system, and then to display and print reports selected by the user. The consumer web sites 602 or the presentation applications capture data generated by user activity at the web site. For example, the user's click stream data and the session identifier are captured. If the user

15

20

25

30

invokes an auxiliary information application at the web site to calculate the amount of interest on the car loan, for example, then that information is also captured. vehicle configuration, generates a user the configuration identifier will also be generated and At the end of a session, an XML message is generated to include the entire session detailed data, identifiers, and click stream data, which is then sent to web server 605. For example, the XML message may include session identifier, identifier, site web configuration identifiers, customer zip code, auxiliary information application invocation, configuration click stream for each configuration identifier done during the session, vehicle configuration specification for each configuration identifier, whether locate search results were selected, session start date and time, session end date and time, and the entry point and exit points.

The transport of the session data message may be a pseudo-real time or batch process that is run at the end of each session, or periodically, for example. Web server 605 then sends the messages to a report loq utility of a report data collector 1154, which may perform some data cleansing function, such as parsing the message and correcting errors. Data collector 1154 then sends the update data to report data warehouse 668 periodically, such as once a day, via batch feed, for In addition, a copy of all the XML messages generated in the presentation applications and sent to workflow manager 622 are also routed to data collector The messages include tagged orders, retail orders, leads, vehicle searches, session data, status updates, and lead/order updates.

After a complete configuration, the user may search the selected configuration in inventory database 612.

15

20

25

30

Locate process 610 is operable to pass a copy of the search result message to report log utility 1930. For each search results message, the session identifier, configuration identifier, and the match relevance for each criteria, are provided to the report process. Report data collector 1154 is operable to parse the XML message and extract the match relevance count for each criteria to pass to report data warehouse 668.

When a retail order or a tagged order is placed, the order message is routed to workflow manager 622 with the session identifier, configuration identifier, order number, and other order details. A copy of the order message is also routed, via web server 605, to data collector 1154, which processes it and stores the data in When workflow manager 622 receives data warehouse 668. order update messages from the order process, a copy of the order update message is also routed to data collector 1154 via web server 605. In addition, each time the status of the order is updated in workflow manager 622, a copy of the status update message is also sent to data collector 1154.

When a configuration is sent as a request for a lead, a lead message is routed to workflow manager 622, with the session identifier, configuration identifier, and other lead detailed data. A copy of the lead message is also routed to report data collector 1154 via web server 605. Reporting data collector 1154 parses the XML lead message and stores the data in report data warehouse Each time the lead data is updated in workflow manager 622 because of dealer action, a copy of the update XML message is also routed to report Alternatively, each time an order or a collector 1154. lead changes to an inactive status (sold, cancelled, future prospect) by dealer action, an update XML message

15

25

30

is generated to include a history of the associated dealer events and sent to work flow manager 622 and report data collector 1154.

Dealer data is also provided to data collector 1154 for storage in report data warehouse 668. Dealer data may include the dealer code, P&A codes, dealer name, dealer address, dealer contact, dealer zip code, dealer zone, and dealer region. Report data warehouse 668 and generates metrics on the number dealerships participating in the online program. Similarly, credit process 1232 may also feed credit data to data collector 1154 for storage in report warehouse 668. In addition, customer survey results 1930 which are used to gauge customer satisfaction are also stored in report data warehouse 668.

Report process 666 is operable to generate numerical and graphical reports as requested by submitting standardized SQL to report database 668. Exemplary reports are listed below:

20 -Financial Reports

-Compare revenue stream generated through the web sites by brand, make, model, model year, and model trim against orders placed online
-Metrics to be broken down for time frame

(month, week) and/or by regions

-Free Demand Data Reports:

-Metrics on end customer click streams on the web site for configurations, resulting in:

-Abandoned

-Retail Ordered

-Tagged Order

-Request-for-Quotes (Leads)

-Searched

-Saved in garage for future follow-up

-Rank order of user "first clicks" - hot spots

	on the web sites, brands, etc.
	-Rank order of popular (non-standard) options
	per model/trim level
5	-Rank ordered top 10 models per brand
	-Rank ordered most popular build combinations,
	configuration items (options or features),
	colors, etc.
	-Percentage of users selecting auxiliary
10	services from the web sites based on model/trim
	configurations
	-Order Status Metric Reports
	-How long on average does it take to build a
	vehicle, a vehicle of a certain brand, make, trim,
15	etc.
	-How does the promised delivery date compare
	with the actual delivery date
	-Dealer Credit Metric Reports
	-How many credit applications by dealer, make,
20	model, year
	-How many credit applications were approved,
	rejected, conditioned, and resulted in a purchase
	-Site/Application Performance Reports
,	-Top-referring web sites
25	-Metrics on exit points within the web sites
	-Metrics on web site traffic (number of user
	sessions, time, usage, etc.)
	-Number of requests per visit
	-Metrics on requests for credit and fulfillment
30	percentage
	-Dealer Reports
	-Metrics on number of exact matches found
	-Metrics on new/used/pre-owned requests

-Dealer inventory-related requests

15

20

25

30

- -Metrics on leads to dealers
- -Metrics on leads-to-close ratio
- -Metrics on initial dealer to closing dealer
- -Dealer Performance Reports
- -Participating dealers
  - -Metrics on hits, leads, orders, etc.
  - -Vehicle demand summary compared with regional average, etc.
  - -Metrics on dealer response time on leads
- 10 -Customer survey results
  - -Locate, order and status module reports
  - -Price Metric Reports
  - -MSRP, dealer invoice, sold price, and ePrice trends, by dealer, by make, model, trim, etc.

Three message formats are used by the report process. FIG. 34 is a diagram of the messages. A StatusUpdate tag 2000 is the top level tag for the messages, which includes two types of order messages 2001: tagged order 2002 and retail order 2003. Another report message is a lead message 2006.

FIG. 35 is a diagram of the order update message format, which may be implemented in XML. Two kinds of orders 2001 are provided, tagged order 2002 and retail order 2003. TaggedOrder 2002 includes order information (OrderInformation) 2006, which includes order source identifier 2007, session identifier 2008, configuration identifier 2009, order number 2010, VIN 2011, and item number 2012. TaggedOrder 2002 also includes the status of the order (OrderStatus) 2014, which includes status code 2015, status description 2016, time stamp of the order 2017, and status alert (ISCAlert) 2018.

TaggedOrder further includes dealer action data 2020, which includes dealer code 2021, first response

metrics 2022, response type 2023, vehicle availability 2024, demo drive flag 2025, dealer action code 2026, dealer action description 2027, and time stamp 2028. First response metrics 2022 is used to provide data that identifies the dealer response interval (hours, days, week, etc.), and response type 2023 identifies the type of communications response the dealer takes (telephone call, email, etc.). DemoDriveFlag 2025 is a boolean parameter that is used to indicate whether a demo drive has been taken or not.

RetailOrder 2003 also includes OrderInformation 2030, OrderStatus 2040, and DealerAction 2042 tags or parameters. OrderInformation 2030 also includes order source identifier 2031, session identifier 2032, configuration identifier 2033, order number 2034, VIN 2035, and item number 2036. DealerAction similarly includes dealer code 2043, first response metrics 2044, response type 2045, vehicle availability 2046, demo drive flag 2047, dealer action code 2048, dealer action description 2049, and time stamp 2050.

FIG. 36 is a diagram of the lead update message format 2006 according to the teachings of the present invention. Lead message 2006 includes lead information 2060, lead status 2070, and dealer action 2080. Lead information 2060 includes the lead source identifier 2061, session identifier 2062, configuration identifier 2063, and vehicle type 2064. Lead source identifier 2061 is used to indicate the originating web site from which the request is submitted. Session identifier 2062 identifies the online session during which the dealer lead request was submitted.

Lead status 2070 includes status code 2071, status description 2072, time stamp 2073, and configuration change flag 2074. Configuration change flag is a boolean

15

20

25

30

parameter that indicates whether the configuration has been changed.

Dealer action 2080 is another parameter in the lead message format. Dealer action 2080 includes dealer code 2081, first response metrics 2082, response type 2083, vehicle availability 2084, demo drive flag 2085, dealer action code 2086, dealer action description 2087, and time stamp 2088.

FIGS. 37A and 37B is a diagram of an embodiment of the user session message format for transmitting user online session data to the report process. session tag 2100 is the top-level tag of the message. A session start parameter 2102 includes session ID 2103, a visitor descriptor 2104, a source application identifier 2105, a browser indicator 2106, an IP (Internet protocol) address 2107 of the user, and a reference 2108 field with description 2109 and ΙP address additional parameters. A session end tag 2116 includes the session identifier 2117, and a reason 2118 the session ended. A locale tag 2120 is used to provide country 2121, language 2122, and currency type 2123 data. A compare vehicles tag 2126 is used to provide data on the vehicles 2127 the consumer comparison shopped. An end session tag 2128 is used to provide signature 2129 data. A garage user action tag 2130 is used to provide data activities related to the virtual online garage 2131. The user's account identifier 2133 is provided by a login account tag 2132. A notable decision tag 2136 is used to provide data on user decisions, such as reference 2137, description, and decision 2139. program decision tag 2140 is used to provide additional decision related data, such as sequence reference 2141, description 2142, and decision 2143. A show tag 2150 provides signature 2151 and description 2152 data on

10

15

20

25

30

items, images or pages that the user chose to view. An use external application tag 2156 is used to provide signature 2157 and description 2158 data on auxiliary information applications invoked by the user. An user input tag 2160 is used to provide signature 2161, description 2162, and input 2163 data on user online inputs.

Additional tags 2164-2167 are used to provide data credit application requests, related to application responses, quote requests, responses. A locate request tag 2168 is used to provide an identifier 2169 for the vehicle locate request, and a locate response tag 2170 is used to provide an identifier 2171 for the locate response. Locate request details tag 2174 and locate response details 2177 are used to provide VIN 2175 and 2178 of the vehicle for which the user detailed information. Furthermore, requested the identifiers 2181 and 2185 associated with an order request 2180 and order response 2184 are provided. identifiers 2187 and 2190 associated with a status request 2186 and status response 2189 are provided. configuration changed tag 2192 is used to sequence reference 2193, configurator identifier 2194 and part 2195 data associated with the user changing vehicle configurations. A garage new user created tag 2200 is to provide sequence reference 2201 and identifier 2202 associated with the user action of parking a vehicle in a virtual garage for the first time. Garage user information changed tag 2204 sequence reference data 2205. Garage loaded tag 2206 provides the sequence reference 2207, login identifier 2208, first login 2209 and login count 2210. configuration saved tag 2212 provides sequence reference 2213, vehicle 2214, and parts name list 2215 of the

15

20

25

30

garaged vehicle. Garage configuration loaded 2216 tag provides sequence reference 2217, vehicle 2218, parts name list 2219, and date saved 2220 of the vehicle configuration parked in the virtual garage. configuration generated tag 2222 is used to provide sequence reference 2223, configurator identifier 2224, and vehicle 2225 data on each new vehicle configuration generated by the user. A notable raised tag 2227 is used to provide sequence reference 2228, description 2229, parts name list 2230, and monetary value 2231 associated with the user activities. A page state changed 2234 tag is used to provide sequence reference 2235, old page state 2236, and new page state 2237 data. A program begun tag 2238 and program eligibility raised tag 2240 are used to provide data associated with the program. Description 2241 and reason 2242 data are provided. configured model tag 2243 is provided to include data on the configured vehicle.

Constructed and operating in this manner, a customer is afforded the opportunity to specify the desired configuration and options of a product to search the The vehicle availability inventory for availability. anywhere along the pipeline from the manufacturer to the dealership may be determined. The customer may tag a vehicle that is currently anywhere in the pipeline that fits his/her criteria for purchase. In the event that the specified product is not currently available, the customer may place a custom order for the product. Therefore, the customer is able to make a purchase on a product or vehicle that he/she desires and track the status of the vehicle when it is custom ordered and manufactured.

Several processes have been described that carry out the locate, order, status, and report functionalities of

15

the system and XML communication schema between the various components have been established.

Although the present invention has been described in the context of custom automotive vehicle inventory tracking and ordering, it is equally applicable to other products for which a consumer may select from among different configurations.

Although several embodiments of the present invention and its advantages have been described in detail, it should be understood that mutations, changes, substitutions, transformations, modifications, variations, and alterations can be made therein without departing from the teachings of the present invention, the spirit and scope of the invention being set forth by the appended claims.

#### WHAT IS CLAIMED IS

- 1. An online communication schema for an online vehicle ordering and tracking system, comprising:
  - a search request message including:
    - at least one search criteria; and
    - a weighting of each criterion;
  - a search reply message including:
- a list of vehicles substantially matching the at least one search criteria; and
- a plurality of vehicle configuration parameters of the vehicles substantially matching the search criteria, including make, model, dealer identifier, price, and color.
- 15 2. The communication schema, as set forth in claim 1, wherein the search request and reply messages are in XML.
- 3. The communication schema, as set forth in claim 20 1, wherein the search request message comprises:
  - a request tag;
  - a criteria taq; and
  - a criterion tag providing a dealer identifier.
- 4. The communication schema, as set forth in claim 3, wherein the search request message further comprises:

the criterion tag providing an enumeration of a plurality of attributes each specifying a vehicle configuration parameter, including make, model, and year;

- 30 a close criterion tag;
  - a close criteria tag; and
  - a close request tag.

- 5. The communication schema, as set forth in claim 4, wherein the criterion tag further including:
- a requirement attribute indicative of whether the criterion is required; and
- a weight attribute indicate of a search weighting of the criterion.
- 6. The communication schema, as set forth in claim 1, wherein a vehicle parameter of the search reply 10 message comprise:
  - a vehicle identifier;
  - a vehicle status;
  - a dealer identifier;
  - a list of configured model parameters, including:
- a price;
  - a make;
  - a model;
  - an engine specification;
  - a transmission specification; and
  - an exterior paint color.

	7. The communication schema, as set forth in claim
	1, wherein a vehicle parameter of the search reply
	message comprise:
	a vehicle identifier;
5	a vehicle status;
	a dealer identifier;
	a list of configured model parameters, including:
	a price;
	a make;
10	a model;
	an engine specification;
	a transmission specification;
	an exterior paint color;
	a wheel specification;
15	a tire specification;
	a seat fabric specification;
	an interior color; and
	an audio system specification.

```
8. The communication schema, as set forth in claim
1, wherein a vehicle parameter of the search reply
message comprise:
   a vehicle identifier;
   a vehicle status;
```

a list of configured model parameters, including:

a price;
a make;

a dealer identifier;

10 a model;

an engine specification;

a transmission specification;

an exterior paint color;

a wheel specification;

a tire specification;

a seat fabric specification;

an interior color;

an audio system specification;

a drive specification;

a cab specification;

a body style specification;

a real axle ratio specification;

a pay load package specification;

a wheel base specification;

a roof color;

a door specification;

an accent color;

a spare tire specification;

a PEP specification;

an option package specification; and

a stand alone package specification.

- 9. The communication schema, as set forth in claim 1, further comprising:
  - a tag request message including:

order information associated with the tag request;

contact information of the user; credit authorization information; and tagged vehicle parameters.

- 10 10. The communication schema, as set forth in claim 9, wherein the order information comprises:
  - a source identifier associated with the web site from which the tag request originated;
- a session identifier of the online session during which the tag request was submitted;

an order number;

an order total price;

a deposit amount;

an order date;

- 20 an order time;
  - a dealer identifier; and
  - a payment method.
- 11. The communication schema, as set forth in claim
- 25 9, wherein the contact information comprises:
  - a customer identifier;
  - a customer name;
  - a customer address;
  - a customer email address;
- 30 a customer daytime telephone number;
  - a customer evening telephone number;
  - a customer facsimile number; and
  - a specification of a best way to contact the customer.

- 12. The communication schema, as set forth in claim 9, wherein the credit card authorization information comprises a credit card authorization number.
- 5 13. The communication schema, as set forth in claim 9, wherein the tagged vehicle parameters comprises:
  - a vehicle identifier;
  - a stock number;
  - an item number;
- 10 an order line number;
  - a plurality of vehicle configuration parameters;
  - a dealer identifier of a dealer having the tagged vehicle in inventory;
- a dealer identifier of a dealer selected by the user from whom to purchase the tagged vehicle;
  - a vehicle initial status indicative of whether the vehicle is new or used; and
  - a locate search identifier specifying the selected vehicle configuration.

14. The communication schema, as set forth in claim 13, wherein the plurality of vehicle configuration parameters comprises:

a price;

5 a make;

a model;

an engine specification;

a transmission specification;

an exterior paint color;

10 a wheel specification;

a tire specification;

a seat fabric specification;

an interior color;

an audio system specification;

15 a drive specification;

a cab specification;

a body style specification;

a real axle ratio specification;

a pay load package specification;

20 a wheel base specification;

a roof color;

a door specification;

an accent color;

a spare tire specification;

25 a PEP specification;

an option package specification; and

a stand alone package specification.

15. The communication schema, as set forth in claim 30 9, further comprising a tag status message generated in response to processing a tag request message.

16. The communication schema, as set forth in claim
15, wherein the tag status message comprises:
 an order number;
 an order line number;
 a nitem number;
 a model year;
 a dealer identifier;
 a body style;
 an order status;

10 an action code;
 an order process date; and

an order process time.

17. A communication schema used in an online system enabling a user to search in-inventory and in-process products, comprising:

a search request message including:

at least one search criteria describing the parameters of a desired product; and

a weighting of each criterion;

a search reply message including:

a list of products substantially matching the search criteria; and

a plurality of product configuration parameters of the products substantially matching the search criteria;

a tag request message including:

order information associated with the tag request;

contact information of the user; credit authorization information; and tagged product parameters; and

20 a tag status message generated in response to processing the tag request message.

15

- 18. The communication schema, as set forth in claim 17, wherein the product is a vehicle and the search request message comprises:
  - a request tag;
- 5 a criteria tag;
  - a criterion tag providing an enumeration of a plurality of attributes each specifying a vehicle configuration parameter, including VIN, dealer identifier, make, model, year, engine data, transmission data, tire data, exterior color, interior color, roof color, seat fabric, accent color, option, MSRP, body style, vehicle type, category, price, condition, wheel data, and audio system data;
    - a close criterion tag;
    - a close criteria tag; and
      - a close request tag.
  - 19. The communication schema, as set forth in claim 18, wherein the criterion tag further including:
  - a requirement attribute indicative of whether the criterion is required; and
    - a weight attribute indicate of a search weighting of the criterion.

```
The communication schema, as set forth in claim
         wherein a vehicle parameter of the search reply
    message comprise:
         a vehicle identifier;
 5
         a vehicle status;
         a dealer identifier;
         a list of configured model parameters, including:
              a price;
              a make;
10
              a model;
              an engine specification;
              a transmission specification; and
              an exterior paint color.
              The communication schema, as set forth in claim
15
         wherein a vehicle parameter of the search reply
    message comprise:
         a vehicle identifier;
         a vehicle status;
         a dealer identifier;
20
         a list of configured model parameters, including:
              a price;
              a make;
              a model;
              an engine specification;
25
              a transmission specification;
              an exterior paint color;
              a wheel specification;
              a tire specification;
              a seat fabric specification;
30
```

an interior color; and

an audio system specification.

```
The communication schema, as set forth in claim
         22.
    17,
         wherein a vehicle parameter of the search reply
    message comprise:
         a vehicle identifier;
         a vehicle status;
 5
         a dealer identifier;
         a list of configured model parameters, including:
              a price;
               a make;
              a model;
1.0
              an engine specification;
              a transmission specification;
              an exterior paint color;
              a wheel specification;
15
              a tire specification;
              a seat fabric specification;
              an interior color;
               an audio system specification;
              a drive specification;
              a cab specification;
20
               a body style specification;
               a real axle ratio specification;
               a pay load package specification;
               a wheel base specification;
              a roof color;
25
               a door specification;
               an accent color;
```

a spare tire specification;

an option package specification; and

a stand alone package specification.

a PEP specification;

23. The communication schema, as set forth in claim 17, further comprising:

a tag request message including:

order information associated with the tag request;

contact information of the user; credit authorization information; and tagged vehicle parameters.

10 24. The communication schema, as set forth in claim 23, wherein the order information comprises:

a source identifier associated with the web site from which the tag request originated;

a session identifier of the online session during which the tag request was submitted;

an order number;

an order total price;

a deposit amount;

an order date;

20 an order time;

a dealer identifier; and

a payment method.

- 25. The communication schema, as set forth in claim
- 25 23, wherein the contact information comprises:
  - a customer identifier;
  - a customer name;
  - a customer address;
  - a customer email address;
- 30 a customer daytime telephone number;
  - a customer evening telephone number;
  - a customer facsimile number; and
  - a specification of a best way to contact the customer.

- 26. The communication schema, as set forth in claim 23, wherein the credit card authorization information comprises a credit card authorization number.
- 27. The communication schema, as set forth in claim 23, wherein the tagged vehicle parameters comprises:
  - a vehicle identifier;
  - a stock number;
  - an item number;
- 10 an order line number;
  - a plurality of vehicle configuration parameters;
  - a dealer identifier of a dealer having the tagged vehicle in inventory;
- a dealer identifier of a dealer selected by the user from whom to purchase the tagged vehicle;
  - a vehicle initial status indicative of whether the vehicle is new or used; and
  - a locate search identifier specifying the selected vehicle configuration.

28. The communication schema, as set forth in claim 27, wherein the plurality of vehicle configuration parameters comprises:

a price;

5 a make;

a model;

an engine specification;

a transmission specification;

an exterior paint color;

10 a wheel specification;

a tire specification;

a seat fabric specification;

an interior color;

an audio system specification;

15 a drive specification;

a cab specification;

a body style specification;

a real axle ratio specification;

a pay load package specification;

a wheel base specification;

a roof color;

a door specification;

an accent color;

a spare tire specification;

25 a PEP specification;

an option package specification; and

a stand alone package specification.

29. The communication schema, as set forth in claim 30 23, further comprising a tag status message generated in response to processing a tag request message.

```
30. The communication schema, as set forth in claim
29, wherein the tag status message comprises:
    an order number;
    an order line number;
    a model year;
    a dealer identifier;
    a body style;
    an order status;

10 an action code;
    an order receipt date;
    an order process date; and
    an order process time.
```

10

31. An online method of communication for an online product ordering and tracking system, comprising:

generating a search request message including at least one search criteria, the search criteria including a retailer identifier, and a weighting of each criterion; and

generating a search reply message in response to processing the search request message, the search reply message including a list of products substantially matching the search criteria, including products ininventory at the retailer identified by the retailer identifier as well as products in-transit to the retailer and in-process products.

- 32. The communication method, as set forth in claim 31, wherein generating the search request message comprises generating an XML message.
- 33. The communication method, as set forth in claim 20 31, wherein generating the search reply message comprises generating an XML message.

```
34. The communication method, as set forth in claim 31, wherein generating the search request message comprises generating the search request message having:
```

```
a vehicle identifier;
```

```
5 a vehicle status;
```

- a dealer identifier;
- a list of configured model parameters, including:
  - a price;
  - a make;
- 10 a model;
  - an engine specification;
  - a transmission specification; and
  - an exterior paint color.
- 35. The communication method, as set forth in claim 31, wherein generating the search reply message comprises generating vehicle parameters including:
  - a vehicle identifier;
  - a vehicle status;
- 20 a dealer identifier;
  - a list of configured model parameters, including:
    - a price;
    - a make;
    - a model;
- 25 an engine specification;
  - a transmission specification;
  - an exterior paint color;
  - a wheel specification;
  - a tire specification;
- 30 a seat fabric specification;
  - an interior color; and
  - an audio system specification.

```
The communication method, as set forth in claim
    31, wherein generating the search reply message comprise
    incorporating:
         a vehicle identifier;
         a vehicle status;
5
         a dealer identifier;
         a list of configured model parameters, including:
              a price;
              a make;
              a model;
10
              an engine specification;
              a transmission specification;
              an exterior paint color;
              a wheel specification;
              a tire specification;
15
              a seat fabric specification;
              an interior color;
              an audio system specification;
              a drive specification;
              a cab specification;
20
              a body style specification;
              a real axle ratio specification;
               a pay load package specification;
               a wheel base specification;
              a roof color;
25
               a door specification;
               an accent color;
               a spare tire specification;
               a PEP specification;
               an option package specification; and
30
```

a stand alone package specification.

37. The communication method, as set forth in claim 31, further comprising:

generating a tag request message including:

order information associated with the tag request;

contact information of the user; credit authorization information; and tagged vehicle parameters.

- 38. The communication method, as set forth in claim 37, wherein generating the tag request message comprises incorporating order information, comprising:
  - a source identifier associated with the web site from which the tag request originated;
- a session identifier of the online session during which the tag request was submitted;

an order number;

an order total price;

a deposit amount;

20 an order date;

an order time;

- a dealer identifier; and
- a payment method.

- 39. The communication method, as set forth in claim 37, wherein generating tag request message comprises incorporating the contact information comprising:
  - a customer identifier;
- 5 a customer name;
  - a customer address;
  - a customer email address;
  - a customer daytime telephone number;
  - a customer evening telephone number;
- 10 a customer facsimile number; and
  - a specification of a best way to contact the customer.
- 40. The communication method, as set forth in claim 37, wherein generating the tag request message comprises incorporating a credit card authorization number.
- 41. The communication method, as set forth in claim 37, wherein generating the tag request message comprises incorporating the tagged vehicle parameters comprising:
  - a vehicle identifier;
  - a stock number;
  - an item number;
  - an order line number;
- a plurality of vehicle configuration parameters;
  - a dealer identifier of a dealer having the tagged vehicle in inventory;
  - a dealer identifier of a dealer selected by the user from whom to purchase the tagged vehicle;
- a vehicle initial status indicative of whether the vehicle is new or used; and
  - a locate search identifier specifying the selected vehicle configuration.

42. The communication method, as set forth in claim 41, wherein generating the tag request message comprises incorporating the plurality of vehicle configuration parameters comprising:

```
5
         a price;
         a make;
         a model;
         an engine specification;
         a transmission specification;
         an exterior paint color;
10
         a wheel specification;
         a tire specification;
         a seat fabric specification;
         an interior color;
         an audio system specification;
15
         a drive specification;
         a cab specification;
         a body style specification;
         a real axle ratio specification;
         a pay load package specification;
20
         a wheel base specification;
         a roof color;
         a door specification;
         an accent color;
         a spare tire specification;
25
         a PEP specification;
         an option package specification; and
          a stand alone package specification.
```

30 43. The communication method, as set forth in claim 37, further comprising generating a tag status message in response to processing the tag request message.

44. The communication method, as set forth in claim 43, wherein the generating the tag status message comprises:

incorporating an order number;

incorporating an order line number;

incorporating an item number;

incorporating a model year;

incorporating a dealer identifier;

incorporating a body style;

incorporating an order status;

incorporating an action code;

incorporating an order receipt date;

incorporating an order process date; and

incorporating an order process time.

45. An online method of locating consumer product having specific configuration in an enterprise production pipeline and inventory, comprising:

generating a search request message including product configuration data submitted by a user, the product configuration data including make and model of a vehicle, and a weighting of each parameter; and

formulating a search query with search criteria corresponding to the product configuration data;

searching an inventory database for a product matching the product configuration data, the inventory database containing product on the order bank, inproduction, in-transit, and in-inventory;

generating a search reply message in response to processing the search request message, the search reply message including a list of products substantially matching the search criteria, each product having a plurality of configuration parameters; and

displaying the list of products.

20

5

10

15

46. The method, as set forth in claim 45, wherein generating the search reply message comprises:

compiling a list of products and respective configuration data; and

providing a percentage value for each product in the list indicative of the degree of match between the product and the configuration data contained in the search request message.

47. The method, as set forth in claim 45, further comprising:

receiving a search request document containing search criteria and converting to an XML document having a predetermined format; and

converting the XML document to an XML search request message.

48. The method, as set forth in claim 45, further 10 comprising:

displaying product configuration information to the user on a web page;

receiving product configuration selection from the user; and

- displaying a search result list of products substantially matching the configuration and percentage matching data on a web page.
- 49. The method, as set forth in claim 45, further 20 comprising:

importing in-inventory product availability data from dealerships; and

importing in-process product availability data from an enterprise database.

15

50. The method, as set forth in claim 45, wherein generating the search reply message comprises:

incorporating a unique identifier of each substantially matching product;

5 incorporating configuration data of each substantially matching product; and

sorting the substantially matching product by descending degree of match between the product configuration data of the product and the configuration data in the search request message.

51. The method, as set forth in claim 45, further comprising:

receiving a tag request message submitted by the user, the tag request message containing a unique product identifier;

modifying the product availability data associated with the product identified by the unique product identifier in the inventory database; and

20 generating a tag reply message confirming the completion of tagging the identified product.


10


15


## COMMUNICATION SCHEMA OF ONLINE SYSTEM AND METHOD OF LOCATING CONSUMER PRODUCT IN THE ENTERPRISE PRODUCTION PIPELINE

## ABSTRACT OF THE DISCLOSURE

An online communication schema for an online vehicle ordering and tracking system is provided. The communication schema includes a search request message and a search reply message. The search request message includes at least one search criteria, including make and model of a vehicle, and a weighting of each criterion. The search reply message includes a list of vehicles substantially matching the search criteria, and a plurality of vehicle configuration parameters of the vehicles substantially matching the search criteria, including make, model, dealer identifier, price, and color.















FIG. 4B







































FIG. 15













FIG. 20







FIG. 22






FIG. 24

FIG. 25A -1566 OrderSourceId 1567 SessionId -1568 OrderNumber 1562 -1569 OrderTotalPrice -1570 Deposit OrderInformation - 1571 OrderDate -1572 OrderTime 1573 DealerCode -1574 **PaymentMethod** Name 1576 1563 **Address** 1577 **FleetContact EmailAddress** 1578 DayPhone 1579 Fax -1580 1582 1583 **Prices** Price **FleetOrder** -1584 Make -1585 Model -1586 Engine -1587 **Transmission** -1588 ExteriorPaint -1589 Wheels -1590 **Tires** -1591 SeatTrim -1592 Interior Trim-1593 AudioType ~1594 Drive

TO FIĞ. 25B





FIG. 25B






FIG. 26B









FIG. 28




















FIG. 36

FIG. 37A







## DECLARATION AND POWER OF ATTORNEY - ORIGINAL APPLICATION

Attorney's Docket No. 200-0235

As a below named inventor, I hereby declare:

My residence, post office address and citizenship are as stated below next to my name;

I verily believe I am the original, first and sole inventor or an original, first and joint inventor of the subject matter that is claimed and for which a patent is sought on the invention entitled

## COMMUNICATION SCHEMA OF ONLINE SYSTEM AND METHOD OF LOCATING CONSUMER PRODUCT IN THE ENTERPRISE PRODUCTION PIPELINE

the specification of which is attached hereto.

I have reviewed and understand the contents of the specification identified above, including the claims.

I acknowledge my duty to disclose information of which I am aware that is material to the examination of this application in accordance with Section I.56(a), Title 37 of the Code of Federal Regulations; and

as to application for patents or inventor's certificate on the invention filed in any country foreign to the United States of America, prior to this application by me or my legal representatives or assigns,

- [x] no such applications have been filed, or
- [ ] such applications have been filed as follows

COUNTRY	APPLICATION NO.	DATE OF FILING (day, month, year)	DATE OF ISSUE (day, month, year)	PRIORITY CLAIMED UNDER 35 USC 119

I hereby claim the benefit under 35 U.S.C. § 120 of any United States application(s) or § 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. § 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR § 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application.

(Application Number)	(Filing Date)	(Status - patented, pending, abandoned)	
(Application Number)	(Filing Date)	(Status - patented, pending, abandoned)	

**POWER OF ATTORNEY:** As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the United States Patent and Trademark Office connected therewith and to act on my behalf before the competent International Authorities in connection with any and all international applications filed by me. (List name and registration number)

Wei Wei Jeang - 33305 Carlos L. Hanze - 43657 David B. Kelley - 33,718 Roger L. May - 26,406

9:

## Address all correspondence and telephone calls to:

Attorney Docket No: 200-0235

Wei Wei Jeang Baker & Botts, L.L.P. 2001 Ross Avenue

Dallas, TX 75201-2980

Phone: 214/953-6500

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

		<u> </u>		
NAME AND POST OFFICE ADDRESS	RESIDENCE	CITIZENSHIP	SIGNATURE	DATE
OF INVENTOR:				
Stephen Smith	White Lake, MI 48386	U.S.A		
9055 Ashdown Ave.	US		Sall	3/28/00
White Lake, MI 48386 US				
ii			1	1